

International
Progress Report

IPR-06-01

Äspö Hard Rock Laboratory

Prototype Repository

Hydraulic tests and deformation
measurements during
operations phase
Test campaign 6
Single hole tests

Torbjörn Forsmark
SWECO VIAK AB

March 2006

Svensk Kärnbränslehantering AB

Swedish Nuclear Fuel
and Waste Management Co
Box 5864
SE-102 40 Stockholm Sweden
Tel 08-459 84 00
+46 8 459 84 00
Fax 08-661 57 19
+46 8 661 57 19



**Äspö Hard Rock
Laboratory**

Report no.
IPR-06-01

Author
Torbjörn Forsmark

Checked by
Ingvar Rhén

Approved
Anders Sjöland

No.
F63K

Date
March 2006

Date
March 2006

Date
2006-06-28

Äspö Hard Rock Laboratory

Prototype Repository

Hydraulic tests and deformation measurements during operations phase Test campaign 6 Single hole tests

Torbjörn Forsmark
SWECO VIAK AB

March 2006

Keywords: Äspö HRL, Prototype Repository, Hydrogeology, Hydraulic tests, Pressure build-up tests, Hydraulic parameters, Transmissivity, Storage coefficient

This report concerns a study which was conducted for SKB. The conclusions and viewpoints presented in the report are those of the author(s) and do not necessarily coincide with those of the client.

Abstract

The Prototype Repository Test is focused on testing and demonstrating the function of the SKB deep repository system. Activities aimed at contributing to development and testing of the practical, engineering measures required to rationally perform the steps of a deposition sequence are also included in the project but are also part of other projects.

The objective of the single-hole tests is to estimate the transmissivity of the Hydro Mechanical (HM) test sections equipped with deformation sensors.

Single hole tests are done in 8 boreholes of the Prototype Repository tunnel. In some of the holes several tests are made. The pressure change (dp_p) is limited to approximately 100 metres of water, 200 metres of water and finally a maximum possible pressure change (i.e. open the flow control valves entirely) respectively.

There are two more HM sections in KA3544G01 and KA3550G01, which however could not be tested due to packer system failure. In the G-tunnel there is a hole with a HM-equipped section to be used as a reference hole. The results are shown in the table below.

Table 1 Results from the test campaign 6. ⁽¹⁾ Indicates packer system failure, “-“ indicates it is not possible to evaluate any value with selected method. ⁽²⁾ indicates no tests are done this test campaign.

Section	HM section	dp_p (m)	Specific capacity (m^2/s)	T_{MOYE} (m^2/s)	T_{eval} (m^2/s)	Skin factor (-)
KA3550G01:2	X	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾
KA3552G01:2	X	max	$1.5 \cdot 10^{-9}$	$9.9 \cdot 10^{-10}$	$4.6 \cdot 10^{-10}$	-1.6
KA3554G01:2	X	~100	$9.7 \cdot 10^{-8}$	$6.2 \cdot 10^{-8}$	$4.5 \cdot 10^{-7}$	20
KA3554G01:2	X	~200	$8.4 \cdot 10^{-8}$	$5.4 \cdot 10^{-8}$	$4.3 \cdot 10^{-7}$	23
KA3554G01:2	X	max	$7.7 \cdot 10^{-8}$	$4.9 \cdot 10^{-8}$	$4.0 \cdot 10^{-7}$	25
KA3554G02:4	X	~100	$1.2 \cdot 10^{-9}$	$7.5 \cdot 10^{-10}$	$1.5 \cdot 10^{-8}$	75
KA3554G02:4	X	max	$1.4 \cdot 10^{-9}$	$9.1 \cdot 10^{-10}$	$1.8 \cdot 10^{-8}$	77
KA3548A01:3	X	~100	$1.1 \cdot 10^{-7}$	$7.5 \cdot 10^{-8}$	$1.1 \cdot 10^{-7}$	-1.7
KA3548A01:3	X	~200	$1.0 \cdot 10^{-7}$	$6.8 \cdot 10^{-8}$	$9.2 \cdot 10^{-8}$	-1.5
KA3548A01:3	X	max	$9.3 \cdot 10^{-8}$	$6.3 \cdot 10^{-8}$	$9.6 \cdot 10^{-8}$	-0.9
KA3542G01:3	X	~100	$6.9 \cdot 10^{-8}$	$4.5 \cdot 10^{-8}$	$5.0 \cdot 10^{-8}$	-2.3
KA3542G01:3	X	~200	$5.4 \cdot 10^{-8}$	$3.5 \cdot 10^{-8}$	$5.0 \cdot 10^{-8}$	-0.5
KA3542G01:3	X	max	$4.4 \cdot 10^{-8}$	$2.9 \cdot 10^{-8}$	$5.8 \cdot 10^{-8}$	1.7
KA3544G01:2	X	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾
KA3542G02:2	X	~100	$9.5 \cdot 10^{-10}$	$6.1 \cdot 10^{-10}$	$4.9 \cdot 10^{-10}$	-1.2
KA3542G02:2	X	max	$9.7 \cdot 10^{-10}$	$6.2 \cdot 10^{-10}$	$5.0 \cdot 10^{-10}$	-1.3
KA3563G:4	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3546G01:2	X	max	$5.1 \cdot 10^{-10}$	$3.3 \cdot 10^{-10}$	-	-
KA3566G01:2	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3572G01:2	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3574G01:3	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3539G:2	X	~100	$2.1 \cdot 10^{-7}$	$1.4 \cdot 10^{-7}$	$5.5 \cdot 10^{-7}$	-2.0
KA3539G:2	X	max	$1.9 \cdot 10^{-7}$	$1.3 \cdot 10^{-7}$	$6.6 \cdot 10^{-7}$	-0.8

Sammanfattning

Huvudsyftet med prototypförvaret är att testa och demonstrera funktionen av en del av SKB:s djupförvarssystem. Aktiviteter som syftar till utveckling och försök av praktiska och ingenjörsmässiga lösningar, som krävs för att på ett rationellt sätt kunna stegvis utföra deponeringen av kapslar med kärnbränsle, är inkluderade i projektet för prototypförvaret men även i andra projekt.

Målsättningen med enhålstesterna är att få en uppskattning av transmissiviteten hos de hydromekaniska testsektionerna, (HM), som är utrustade med sprickdeformationssensorer.

Enhålstester gjordes i totalt 8 stycken borrhål. Ett nionde och tionde borrhål är utrustad med HM sensorer men har ej kunnat testas på grund av läckageproblem med de hydrauliska manschetterna. I G-tunneln finns ytterligare ett borrhål med en HM sensor installerad. Det hålet är tänkt att användas såsom referenshål. Resultaten från denna testomgång presenteras i tabellen nedan.

Tabell 1 Resultat från testomgång 6. ⁽¹⁾ indikerar läckageproblem med manschetterna, “-“ indikerar att inget värde kunnat beräknas med valt utvärderingsmetod. ⁽²⁾ indikerar att ingen test gjordes i detta borrhål denna testkampanj.

Sektion	HM sektion	dp _p (m)	Specifik kapacitet (m ³ /s·m)	T _{MOYE} (m ² /s)	T _{eval} (m ² /s)	Skinfaktor (-)
KA3550G01:2	X	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾
KA3552G01:2	X	max	1.5 · 10 ⁻⁹	9.9 · 10 ⁻¹⁰	4.6 · 10 ⁻¹⁰	-1.6
KA3554G01:2	X	~100	9.7 · 10 ⁻⁸	6.2 · 10 ⁻⁸	4.5 · 10 ⁻⁷	20
KA3554G01:2	X	~200	8.4 · 10 ⁻⁸	5.4 · 10 ⁻⁸	4.3 · 10 ⁻⁷	23
KA3554G01:2	X	max	7.7 · 10 ⁻⁸	4.9 · 10 ⁻⁸	4.0 · 10 ⁻⁷	25
KA3554G02:4	X	~100	1.2 · 10 ⁻⁹	7.5 · 10 ⁻¹⁰	1.5 · 10 ⁻⁸	75
KA3554G02:4	X	max	1.4 · 10 ⁻⁹	9.1 · 10 ⁻¹⁰	1.8 · 10 ⁻⁸	77
KA3548A01:3	X	~100	1.1 · 10 ⁻⁷	7.5 · 10 ⁻⁸	1.1 · 10 ⁻⁷	-1.7
KA3548A01:3	X	~200	1.0 · 10 ⁻⁷	6.8 · 10 ⁻⁸	9.2 · 10 ⁻⁸	-1.5
KA3548A01:3	X	max	9.3 · 10 ⁻⁸	6.3 · 10 ⁻⁸	9.6 · 10 ⁻⁸	-0.9
KA3542G01:3	X	~100	6.9 · 10 ⁻⁸	4.5 · 10 ⁻⁸	5.0 · 10 ⁻⁸	-2.3
KA3542G01:3	X	~200	5.4 · 10 ⁻⁸	3.5 · 10 ⁻⁸	5.0 · 10 ⁻⁸	-0.5
KA3542G01:3	X	max	4.4 · 10 ⁻⁸	2.9 · 10 ⁻⁸	5.8 · 10 ⁻⁸	1.7
KA3544G01:2	X	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾	⁽¹⁾
KA3542G02:2	X	~100	9.5 · 10 ⁻¹⁰	6.1 · 10 ⁻¹⁰	4.9 · 10 ⁻¹⁰	-1.2
KA3542G02:2	X	max	9.7 · 10 ⁻¹⁰	6.2 · 10 ⁻¹⁰	5.0 · 10 ⁻¹⁰	-1.3
KA3563G:4	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3546G01:2	X	max	5.1 · 10 ⁻¹⁰	3.3 · 10 ⁻¹⁰	-	-
KA3566G01:2	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3572G01:2	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3574G01:3	-	max	⁽²⁾	⁽²⁾	⁽²⁾	⁽²⁾
KA3539G:2	X	~100	2.1 · 10 ⁻⁷	1.4 · 10 ⁻⁷	5.5 · 10 ⁻⁷	-2.0
KA3539G:2	X	max	1.9 · 10 ⁻⁷	1.3 · 10 ⁻⁷	6.6 · 10 ⁻⁷	-0.8

Executive Summary

In Tables 1 to 4 below is a summary of the test results of the single hole tests so far. In the heading of each test campaign column is indicated the number of days since the heaters in canister hole 5 (DA3551G01) were turned on.

Table 1 Specific capacity. For each test campaign is indicated the number of days since starting of the heaters in canister hole 5 (2003-05-08). ⁽¹⁾ indicates packer system failure, “-” indicates it is not possible to evaluate any value with selected method. ⁽²⁾ indicates no tests are done this test campaign.

Section	HM section	dp _p (m)	Test campaign 1 (-0 days) (m ³ /s·m)	Test campaign 2 (-166 days) (m ³ /s·m)	Test campaign 3 (-270 days) (m ³ /s·m)	Test campaign 4 (-461 days) (m ³ /s·m)	Test campaign 5 (-622 days) (m ³ /s·m)	Test campaign 6 (-935 days) (m ³ /s·m)
KA3550G01:2	X	(1)	(1)	(1)	(1)	(1)	(1)	(1)
KA3552G01:2	X	max	9.4 · 10 ⁻⁹	1.6 · 10 ⁻⁹	1.4 · 10 ⁻⁹	5.8 · 10 ⁻⁹	1.4 · 10 ⁻⁹	1.5 · 10 ⁻⁹
KA3554G01:2	X	~100	(2)	(2)	(2)	1.0 · 10 ⁻⁷	1.1 · 10 ⁻⁷	9.7 · 10 ⁻⁸
KA3554G01:2	X	~200	(2)	(2)	(2)	8.8 · 10 ⁻⁸	8.9 · 10 ⁻⁸	8.4 · 10 ⁻⁸
KA3554G01:2	X	max	8.2 · 10 ⁻⁸	8.3 · 10 ⁻⁸	7.8 · 10 ⁻⁸	7.9 · 10 ⁻⁸	7.7 · 10 ⁻⁸	7.7 · 10 ⁻⁸
KA3554G02:4	X	~100	(2)	(2)	(2)	1.2 · 10 ⁻⁹	1.3 · 10 ⁻⁹	1.2 · 10 ⁻⁹
KA3554G02:4	X	max	1.3 · 10 ⁻⁹	1.2 · 10 ⁻⁹	1.2 · 10 ⁻⁹	1.2 · 10 ⁻⁹	1.2 · 10 ⁻⁹	1.4 · 10 ⁻⁹
KA3548A01:3	X	~100	(2)	(2)	(2)	(2)	1.1 · 10 ⁻⁷	1.1 · 10 ⁻⁷
KA3548A01:3	X	~200	(2)	(2)	(2)	(2)	1.1 · 10 ⁻⁷	1.0 · 10 ⁻⁷
KA3548A01:3	X	max	1.1 · 10 ⁻⁷	1.0 · 10 ⁻⁷	1.1 · 10 ⁻⁷	9.8 · 10 ⁻⁸	1.0 · 10 ⁻⁷	9.3 · 10 ⁻⁸
KA3542G01:3	X	~100	(2)	(2)	(2)	5.8 · 10 ⁻⁸	5.9 · 10 ⁻⁸	6.9 · 10 ⁻⁸
KA3542G01:3	X	~200	(2)	(2)	(2)	4.9 · 10 ⁻⁸	5.4 · 10 ⁻⁸	5.4 · 10 ⁻⁸
KA3542G01:3	X	max	5.4 · 10 ⁻⁸	4.9 · 10 ⁻⁸	4.7 · 10 ⁻⁸	4.5 · 10 ⁻⁸	4.7 · 10 ⁻⁸	4.4 · 10 ⁻⁸
KA3544G01:2	X	(1)	7.8 · 10 ⁻¹⁰	5.9 · 10 ⁻¹⁰	(1)	(1)	(1)	(1)
KA3542G02:2	X	~100	(2)	(2)	(2)	(2)	9.5 · 10 ⁻¹⁰	9.5 · 10 ⁻¹⁰
KA3542G02:2	X	max	5.4 · 10 ⁻¹⁰	4.9 · 10 ⁻¹⁰	1.0 · 10 ⁻⁹	9.8 · 10 ⁻¹⁰	9.9 · 10 ⁻¹⁰	9.7 · 10 ⁻¹⁰
KA3563G:4	-	max	1.7 · 10 ⁻⁸	(2)	(2)	(2)	9.3 · 10 ⁻⁹	(2)
KA3546G01:2	X	max	6.1 · 10 ⁻¹⁰	6.0 · 10 ⁻¹⁰	6.4 · 10 ⁻¹⁰	5.7 · 10 ⁻¹⁰	5.9 · 10 ⁻¹¹	5.1 · 10 ⁻¹⁰
KA3566G01:2	-	max	6.8 · 10 ⁻¹⁰	(2)	(2)	(2)	6.4 · 10 ⁻¹¹	(2)
KA3572G01:2	-	max	1.9 · 10 ⁻¹⁰	(2)	(2)	(2)	2.3 · 10 ⁻¹⁰	(2)
KA3574G01:3	-	max	8.7 · 10 ⁻¹⁰	(2)	(2)	(2)	1.9 · 10 ⁻¹⁰	(2)
KA3539G:2	X	~100	(2)	(2)	(2)	2.3 · 10 ⁻⁷	2.2 · 10 ⁻⁷	2.1 · 10 ⁻⁷
KA3539G:2	X	max	1.9 · 10 ⁻⁷	3.0 · 10 ⁻⁷	2.2 · 10 ⁻⁷	2.3 · 10 ⁻⁷	1.5 · 10 ⁻⁷	1.9 · 10 ⁻⁷

Table 2 T_{MOYE} . For each test campaign is indicated the number of days since the starting of the heaters in canister hole 5 (2003-05-08). ⁽¹⁾ indicates packer system failure, “-“ indicates it is not possible to evaluate any value with selected method. ⁽²⁾ indicates no tests are done this test campaign.

Section	HM section	dp _p (m)	Test campaign 1 (-0 days) (m ² /s)	Test campaign 2 (-166 days) (m ² /s)	Test campaign 3 (-270 days) (m ² /s)	Test campaign 4 (-461 days) (m ² /s)	Test campaign 5 (-622 days) (m ² /s)	Test campaign 6 (-935 days) (m ² /s)
KA3550G01:2	X	(1)	(1)	(1)	(1)	(1)	(1)	(1)
KA3552G01:2	X	max	$8.8 \cdot 10^{-9}$	$1.0 \cdot 10^{-9}$	$8.8 \cdot 10^{-10}$	$3.8 \cdot 10^{-9}$	$8.9 \cdot 10^{-10}$	$9.9 \cdot 10^{-10}$
KA3554G01:2	X	~100	(2)	(2)	(2)	$6.5 \cdot 10^{-8}$	$7.2 \cdot 10^{-8}$	$6.2 \cdot 10^{-8}$
KA3554G01:2	X	~200	(2)	(2)	(2)	$5.6 \cdot 10^{-8}$	$5.7 \cdot 10^{-8}$	$5.4 \cdot 10^{-8}$
KA3554G01:2	X	max	$5.2 \cdot 10^{-8}$	$5.3 \cdot 10^{-8}$	$5.0 \cdot 10^{-8}$	$5.1 \cdot 10^{-8}$	$4.9 \cdot 10^{-8}$	$4.9 \cdot 10^{-8}$
KA3554G02:4	X	~100	(2)	(2)	(2)	$8.2 \cdot 10^{-10}$	$8.2 \cdot 10^{-10}$	$7.5 \cdot 10^{-10}$
KA3554G02:4	X	max	$8.2 \cdot 10^{-10}$	$7.9 \cdot 10^{-10}$	$7.9 \cdot 10^{-10}$	$7.5 \cdot 10^{-10}$	$8.0 \cdot 10^{-10}$	$9.1 \cdot 10^{-10}$
KA3548A01:3	X	~100	(2)	(2)	(2)	(2)	$7.4 \cdot 10^{-8}$	$7.5 \cdot 10^{-8}$
KA3548A01:3	X	~200	(2)	(2)	(2)	(2)	$7.7 \cdot 10^{-8}$	$6.8 \cdot 10^{-8}$
KA3548A01:3	X	max	$7.1 \cdot 10^{-8}$	$6.9 \cdot 10^{-8}$	$6.9 \cdot 10^{-8}$	$6.6 \cdot 10^{-8}$	$6.9 \cdot 10^{-8}$	$6.3 \cdot 10^{-8}$
KA3542G01:3	X	~100	(2)	(2)	(2)	$3.8 \cdot 10^{-8}$	$3.9 \cdot 10^{-8}$	$4.5 \cdot 10^{-8}$
KA3542G01:3	X	~200	(2)	(2)	(2)	$3.3 \cdot 10^{-8}$	$3.5 \cdot 10^{-8}$	$3.5 \cdot 10^{-8}$
KA3542G01:3	X	max	$3.6 \cdot 10^{-8}$	$3.2 \cdot 10^{-8}$	$3.1 \cdot 10^{-8}$	$3.1 \cdot 10^{-8}$	$3.0 \cdot 10^{-8}$	$2.9 \cdot 10^{-8}$
KA3544G01:2	X	(1)	$5.1 \cdot 10^{-10}$	$3.6 \cdot 10^{-10}$	(1)	(1)	(1)	(1)
KA3542G02:2	X	~100	(2)	(2)	(2)	(2)	$6.1 \cdot 10^{-10}$	$6.1 \cdot 10^{-10}$
KA3542G02:2	X	max	$3.5 \cdot 10^{-10}$	$3.1 \cdot 10^{-10}$	$6.4 \cdot 10^{-10}$	$6.3 \cdot 10^{-10}$	$6.4 \cdot 10^{-10}$	$6.2 \cdot 10^{-10}$
KA3563G:4	-	max	$5.6 \cdot 10^{-9}$	(2)	(2)	(2)	$5.9 \cdot 10^{-9}$	(2)
KA3546G01:2	X	max	$3.9 \cdot 10^{-10}$	$3.9 \cdot 10^{-10}$	$4.1 \cdot 10^{-10}$	$3.6 \cdot 10^{-10}$	$3.6 \cdot 10^{-11}$	$3.3 \cdot 10^{-10}$
KA3566G01:2	-	max	$4.4 \cdot 10^{-10}$	(2)	(2)	(2)	$4.1 \cdot 10^{-11}$	(2)
KA3572G01:2	-	max	$1.3 \cdot 10^{-10}$	(2)	(2)	(2)	$1.6 \cdot 10^{-10}$	(2)
KA3574G01:3	-	max	$6.1 \cdot 10^{-10}$	(2)	(2)	(2)	$1.4 \cdot 10^{-10}$	(2)
KA3539G:2	X	~100	(2)	(2)	(2)	$1.5 \cdot 10^{-7}$	$1.4 \cdot 10^{-7}$	$1.4 \cdot 10^{-7}$
KA3539G:2	X	max	$1.3 \cdot 10^{-7}$	$2.0 \cdot 10^{-7}$	$1.5 \cdot 10^{-7}$	$1.5 \cdot 10^{-7}$	$1.0 \cdot 10^{-7}$	$1.3 \cdot 10^{-7}$

Table 3 Transmissivity – transient evaluation. For each test campaign is indicated the number of days since the starting of the heaters in canister hole 5 (2003-05-08). ⁽¹⁾ indicates packer system failure, “-“ indicates it is not possible to evaluate any value with selected method. ⁽²⁾ indicates no tests are done this test campaign.

Section	HM section	dp _p (m)	Test campaign 1 (-0 days) (m ² /s)	Test campaign 2 (-166 days) (m ² /s)	Test campaign 3 (-270 days) (m ² /s)	Test campaign 4 (-461 days) (m ² /s)	Test campaign 5 (-622 days) (m ² /s)	Test campaign 6 (-935 days) (m ² /s)
KA3550G01:2	X	(1)	(1)	(1)	(1)	(1)	(1)	(1)
KA3552G01:2	X	max	-	$6.5 \cdot 10^{-10}$	$5.3 \cdot 10^{-10}$	$2.2 \cdot 10^{-9}$	$6.7 \cdot 10^{-10}$	$4.6 \cdot 10^{-10}$
KA3554G01:2	X	~100	(2)	(2)	(2)	$4.9 \cdot 10^{-7}$	$4.5 \cdot 10^{-7}$	$4.5 \cdot 10^{-7}$
KA3554G01:2	X	~200	(2)	(2)	(2)	$4.7 \cdot 10^{-7}$	$4.5 \cdot 10^{-7}$	$4.3 \cdot 10^{-7}$
KA3554G01:2	X	max	$6.4 \cdot 10^{-7}$	$5.3 \cdot 10^{-7}$	$5.1 \cdot 10^{-7}$	$4.7 \cdot 10^{-7}$	$4.3 \cdot 10^{-7}$	$4.0 \cdot 10^{-7}$
KA3554G02:4	X	~100	(2)	(2)	(2)	-	$2.0 \cdot 10^{-8}$	$1.5 \cdot 10^{-8}$
KA3554G02:4	X	max	$1.1 \cdot 10^{-8}$	$2.5 \cdot 10^{-8}$	-	-	$1.3 \cdot 10^{-8}$	$1.8 \cdot 10^{-8}$
KA3548A01:3	X	~100	(2)	(2)	(2)	(2)	$9.0 \cdot 10^{-8}$	$1.1 \cdot 10^{-7}$
KA3548A01:3	X	~200	(2)	(2)	(2)	(2)	$9.9 \cdot 10^{-8}$	$9.2 \cdot 10^{-8}$
KA3548A01:3	X	max	$8.1 \cdot 10^{-8}$	$9.8 \cdot 10^{-8}$	$8.9 \cdot 10^{-8}$	$8.2 \cdot 10^{-8}$	$8.4 \cdot 10^{-8}$	$9.6 \cdot 10^{-8}$
KA3542G01:3	X	~100	(2)	(2)	(2)	$6.9 \cdot 10^{-8}$	$4.9 \cdot 10^{-8}$	$5.0 \cdot 10^{-8}$
KA3542G01:3	X	~200	(2)	(2)	(2)	$6.6 \cdot 10^{-8}$	$6.0 \cdot 10^{-8}$	$5.0 \cdot 10^{-8}$
KA3542G01:3	X	max	$9.5 \cdot 10^{-8}$	$9.7 \cdot 10^{-8}$	$8.3 \cdot 10^{-8}$	$6.4 \cdot 10^{-8}$	$6.5 \cdot 10^{-8}$	$5.8 \cdot 10^{-8}$
KA3544G01:2	X	(1)	-	-	(1)	(1)	(1)	(1)
KA3542G02:2	X	~100	(2)	(2)	(2)	(2)	$4.6 \cdot 10^{-10}$	$4.9 \cdot 10^{-10}$
KA3542G02:2	X	max	$2.2 \cdot 10^{-10}$	$1.9 \cdot 10^{-10}$	$5.4 \cdot 10^{-10}$	$5.3 \cdot 10^{-10}$	$4.8 \cdot 10^{-10}$	$5.0 \cdot 10^{-10}$
KA3563G:4	-	max	-	(2)	(2)	(2)	$3.3 \cdot 10^{-8}$	(2)
KA3546G01:2	X	max	$7.8 \cdot 10^{-11}$	-	-	-	-	-
KA3566G01:2	-	max	-	(2)	(2)	(2)	$6.4 \cdot 10^{-11}$	(2)
KA3572G01:2	-	max	-	(2)	(2)	(2)	-	(2)
KA3574G01:3	-	max	-	(2)	(2)	(2)	-	(2)
KA3539G:2	X	~100	(2)	(2)	(2)	$5.5 \cdot 10^{-7}$	$5.9 \cdot 10^{-7}$	$5.5 \cdot 10^{-7}$
KA3539G:2	X	max	$7.0 \cdot 10^{-7}$	$8.6 \cdot 10^{-7}$	$6.2 \cdot 10^{-7}$	$5.4 \cdot 10^{-7}$	$6.6 \cdot 10^{-7}$	$6.6 \cdot 10^{-7}$

Table 4 Skin factor. For each test campaign is indicated the number of days since the starting of the heaters in canister hole 5 (2003-05-08). ⁽¹⁾ indicates packer system failure, “-” indicates it is not possible to evaluate any value with selected method. ⁽²⁾ indicates no tests are done this test campaign.

Section	HM section	dp _p (m)	Test campaign 1 (-0 days) (-)	Test campaign 2 (-166 days) (-)	Test campaign 3 (-270 days) (-)	Test campaign 4 (-461 days) (-)	Test campaign 5 (-622 days) (-)	Test campaign 6 (-935 days) (-)
KA3550G01:2	X	(1)	(1)	(1)	(1)	(1)	(1)	(1)
KA3552G01:2	X	max	-	-1.8	-1.7	-2.5	-1.7	-1.6
KA3554G01:2	X	~100	(2)	(2)	(2)	22	18	20
KA3554G01:2	X	~200	(2)	(2)	(2)	26	24	23
KA3554G01:2	X	max	43	34	34	30	27	25
KA3554G02:4	X	~100	(2)	(2)	(2)	-	95	75
KA3554G02:4	X	max	51	120	-	-	61	77
KA3548A01:3	X	~100	(2)	(2)	(2)	(2)	-1.7	-1.7
KA3548A01:3	X	~200	(2)	(2)	(2)	(2)	-1.8	-1.5
KA3548A01:3	X	max	-2	-0.3	-1.2	-1.2	-1.4	-0.9
KA3542G01:3	X	~100	(2)	(2)	(2)	1.1	-0.7	-2.3
KA3542G01:3	X	~200	(2)	(2)	(2)	2.1	0.6	-0.5
KA3542G01:3	X	max	5	6	4.9	2.7	2.4	1.7
KA3544G01:2	X	(1)	-	-	(1)	(1)	(1)	(1)
KA3542G02:2	X	~100	(2)	(2)	(2)	(2)	-1.3	-1.2
KA3542G02:2	X	max	-0.3	-1.3	-1.1	-1.2	-1.4	-1.3
KA3563G:4	-	max	-	(2)	(2)	(2)	16	(2)
KA3546G01:2	X	max	-2	-	-	-	-	-
KA3566G01:2	-	max	-	(2)	(2)	(2)	4.3	(2)
KA3572G01:2	-	max	-	(2)	(2)	(2)	-	(2)
KA3574G01:3	-	max	-	(2)	(2)	(2)	-	(2)
KA3539G:2	X	~100	(2)	(2)	(2)	-1.5	-1.3	-2.0
KA3539G:2	X	max	1.5	1.6	-0.2	-1.2	-0.8	-0.8

Contents

1	Background	17
1.1	Äspö Hard Rock Laboratory	17
1.2	Prototype Repository	18
1.2.1	General objectives	18
2	Objective	19
3	Scope	21
4	Equipment	23
4.1	Description of equipment	23
4.2	Pressure sensors	24
4.3	Flowmeter equipment	25
4.4	Deformation measurements	26
4.4.1	Measurement equipment	26
5	Execution	31
5.1	Preparations	31
5.2	Execution of tests/measurements	31
5.2.1	Test principle	31
5.2.2	Test procedure	31
5.3	Data handling	32
5.4	Analyses and interpretation	32
5.4.1	Single hole tests	32
6	Results	35
6.1	Single hole tests	35
6.1.1	KA3552G01:2, test No 6:1	35
6.1.2	KA3554G01:2 , test No 6:2a	38
6.1.3	KA3554G01:2 , test No 6:2b	41
6.1.4	KA3554G01:2 , test No 6:2c	44
6.1.5	KA3554G02:4, test No 6:3a	47
6.1.6	KA3554G02:4 , test No 6:3b	50
6.1.7	KA3548A01:3 , test No 6:4a	53
6.1.8	KA3548A01:3 , test No 6:4b	56
6.1.9	KA3548A01:3 , test No 6:4c	59
6.1.10	KA3542G01:3 , test No 6:5a	62
6.1.11	KA3542G01:3 , test No 6:5b	65
6.1.12	KA3542G01:3 , test No 6:5c	68
6.1.13	KA3542G02:2 , test No 6:7a	71
6.1.14	KA3542G02:2 , test No 6:7b	74
6.1.15	KA3546G01:2 , test No 6:9	77
6.1.16	KA3539G:2, test No 6:13a	80
6.1.17	KA3539G:2, test No 6:13b	83
6.2	Deformation measurements	86
	References	87

Tables

Table 3-1	Single hole tests during the campaign in November - December 2005. (1) indicates packer system failure, “X” indicates that section is equipped with HM sensors. (2) indicates no test is done in this campaign.	21
Table 4-1	Data of the deformation measurement sections (sensors, length, number of fractures etc).	28
Table 6-1	General test data for the pressure build-up test in section 4.35-6.05 m of borehole KA3552G01	35
Table 6-2	General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01	38
Table 6-3	General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01	41
Table 6-4	General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01	44
Table 6-5	General test data for the pressure build-up test in section 10.50-12.20 m of borehole KA3554G02	47
Table 6-6	General test data for the pressure build-up test in section 10.50-12.20 m of borehole KA3554G02	50
Table 6-7	General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01	53
Table 6-8	General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01	56
Table 6-9	General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01	59
Table 6-10	General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01	62
Table 6-11	General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01	65
Table 6-12	General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01	68
Table 6-13	General test data for the pressure build-up test in section 25.60-27.20 m of borehole KA3542G02	71

Table 6-14	General test data for the pressure build-up test in section 25.60-27.20 m of borehole KA3542G02	74
Table 6-15	General test data for the pressure build-up test in section 6.75-8.30 m of borehole KA3546G01	77
Table 6-16	General test data for the pressure build-up test in section 15.85-17.60 m of borehole KA3539G	80
Table 6-17	General test data for the pressure build-up test in section 15.85-17.60 m of borehole KA3539G	83

Figures

Figure 1-1	Äspö Hard Rock Laboratory	17
Figure 4-1	All pressure transducers are connected to the HMS system. In the G-tunnel there is a computer in the HMS system where logging frequencies easily can be changed.	23
Figure 4-2	Pressure transducers connections	24
Figure 4-3	The equipment for flowrate measurement with Micro Motion Coriolis mass flowmeter system	25
Figure 4-4	A schematic figure, that shows the different parts of the test equipment and also the definitions of the terms outer and inner.	27
Figure 4-5	A detailed figure of the three anchors, sensors (strain gage), positioning cylinder etc.	29
Figure 6-1	Flow rates during draw down in KA3552G01:2. No flowmeter readings are available.	36
Figure 6-2	Flow rates during draw down in KA3554G01:2.	39
Figure 6-3	Flow rates during draw down in KA3554G01:2.	42
Figure 6-4	Flow rates during draw down in KA3554G01:2. No flowmeter readings are available.	45
Figure 6-5	Flow rates during draw down in KA3554G02:4.	48
Figure 6-6	Flow rates during draw down in KA3554G02:4.	51
Figure 6-7	Flow rates during draw down in KA3548A01:3.	54
Figure 6-8	Flow rates during draw down in KA3548A01:3. No flowmeter readings are available.	57
Figure 6-9	Flow rates during draw down in KA3548A01:3.	60
Figure 6-10	Flow rate during draw down in KA3542G01:3.	63
Figure 6-11	Flow rate during draw down in KA3542G01:3.	66
Figure 6-12	Flow rate during draw down in KA3542G01:3. The reason for the loss of registered flow data is unknown.	69
Figure 6-13	Flow rate during draw down in KA3542G02:2. No flowmeter readings are available.	72
Figure 6-14	Flow rate during draw down in KA3542G02:2.	75
Figure 6-15	Flow rate during draw down in KA3546G01:2. The flow in this section is very low. No flowmeter readings are available.	78
Figure 6-16	Flow rate during draw down in KA3539G:2.	81
Figure 6-17	Flow rate during draw down in KA3539G:2.	84

1 Background

1.1 Äspö Hard Rock Laboratory

In order to prepare for the siting and licensing of a spent fuel repository SKB has constructed an underground research laboratory.

In the autumn of 1990, SKB began the construction of Äspö Hard Rock Laboratory (Äspö HRL), see Figure 1-1, near Oskarshamn in the southeastern part of Sweden. A 3.6 km long tunnel was excavated in crystalline rock down to a depth of approximately 460 m.

The laboratory was completed in 1995 and research concerning the disposal of nuclear waste in crystalline rock has since then been carried out.




Figure 1-1. Äspö Hard Rock Laboratory

1.2 Prototype Repository

The Äspö Hard Rock Laboratory is an essential part of the research, development, and demonstration work performed by SKB in preparation for construction and operation of the deep repository for spent fuel. Within the scope of the SKB program for RD&D 1995, SKB has decided to carry out a project with the designation “Prototype Repository Test“. The aim of the project is to test important components in the SKB deep repository system in full scale and in a realistic environment.

The Prototype Repository Test is focused on testing and demonstrating the function of the SKB deep repository system. Activities aimed at contributing to development and testing of the practical, engineering measures required to rationally perform the steps of a deposition sequence are also included. However, efforts in this direction are limited, since these matters are addressed in the Demonstration of Repository Technology project and to some extent in the Backfill and Plug Test.

1.2.1 General objectives

The Prototype Repository should simulate as many aspects as possible a real repository, for example regarding geometry, materials, and rock environment. The Prototype Repository is a demonstration of the integrated function of the repository components. Results will be compared with models and assumptions to their validity.

The major objectives for the Prototype Repository are:

- To test and demonstrate the integrated function of the repository components under realistic conditions in full scale and to compare results with models and assumptions.
- To develop, test and demonstrate appropriate engineering standards and quality assurance methods.
- To simulate appropriate parts of the repository design and construction process.

The objective for the operation phase program is:

- To monitor processes and properties in the canister, buffer material, backfill and near-field rock mass

2 Objective

The objective of the single-hole tests is to estimate the transmissivity of the Hydro Mechanical (HM) test sections equipped with deformation sensors, (*Alm et al, 2005*).

3 Scope

Single hole tests are done in 8 boreholes of the Prototype Repository tunnel. There are two more HM sections in KA3544G01 and KA3550G01, which however could not be tested due to packer system failure. In the G-tunnel there is a hole with a HM-equipped section to be used as a reference hole. The tested intervals and basic test data are listed in Table 3-1. The first figure in the test number indicates this being the sixth single hole test campaign, while the second number indicates the chronological order of the single hole tests. The same numbering of the tests as used during test campaign 1 to 5 is used (Forsmark et al, 2004), (Forsmark, Rhén, 2004a, 2004b, 2004c, 2005a, 2005b, 2005c). Also indicated in the table are the sections where Hydro Mechanical (HM) measurements are done. In chapter 6 the results of the tests are presented.

In some of the holes several tests are made. The pressure change (dp_p) is limited to approximately 100 metres of water, approximately 200 metres of water and finally a maximum possible pressure change (i.e open the flow control valves entirely) respectively.

Table 3-1 Single hole tests during the campaign in November - December 2005.
⁽¹⁾ indicates packer system failure, "X" indicates that section is equipped with HM sensors. ⁽²⁾ indicates no test is done in this campaign.

Bore hole	Section (m)	HM section	Single hole test no.	Date of test	Start of test	Flow start	Flow stop	Test stop
KA3550G01:2 ⁽¹⁾	5.20-7.30	X	- ⁽¹⁾	-	-	-	-	-
KA3552G01:2	4.35-6.05	X	6:1	2005-11-30	12:00:00	13:00:00	15:00:00	16:00:00
KA3554G01:2	22.60-24.15	X	6:2a	2005-11-28	18:00:00	19:00:00	21:00:00	22:00:00
KA3554G01:2	22.60-24.15	X	6:2b	2005-11-29	17:00:00	18:00:00	20:00:00	21:00:00
KA3554G01:2	22.60-24.15	X	6:2c	2005-11-30	17:00:00	18:00:00	20:00:00	21:00:00
KA3554G02:4	10.50-12.20	X	6:3a	2005-11-29	07:00:00	08:00:00	10:00:00	11:00:00
KA3554G02:4	10.50-12.20	X	6:3b	2005-12-01	12:00:00	13:00:00	15:00:00	16:00:00
KA3548A01:3	8.80-10.75	X	6:4a	2005-11-29	15:00:00	16:00:00	17:00:00	18:00:00
KA3548A01:3	8.80-10.75	X	6:4b	2005-11-30	15:00:00	16:00:00	17:00:00	18:00:00
KA3548A01:3	8.80-10.75	X	6:4c	2005-12-01	15:10:00	16:10:00	17:10:00	18:10:00
KA3542G01:3	18.60-20.30	X	6:5c	2005-11-28	13:40:00	14:00:00	15:00:00	17:00:00
KA3542G01:3	18.60-20.30	X	6:5a	2005-11-29	10:00:00	11:00:00	12:00:00	14:00:00
KA3542G01:3	18.60-20.30	X	6:5b	2005-12-01	17:15:00	18:15:00	19:15:00	21:15:00
KA3544G01:2 ⁽¹⁾	8.90-10.65	X	- ⁽¹⁾	-	-	-	-	-
KA3542G02:2	25.60-27.20	X	6:7a	2005-12-01	07:00:00	08:00:00	11:00:00	13:00:00
KA3542G02:2	25.60-27.20	X	6:7b	2005-12-02	06:30:00	07:30:00	10:30:00	12:30:00
KA3563G:4	1.50-3.00	-	- ⁽²⁾	-	-	-	-	-
KA3546G01:2	6.75-8.30	X	6:9	2005-11-30	07:00:00	08:00:00	11:00:00	13:00:00
KA3566G01:2	20.00-21.50	-	- ⁽²⁾	-	-	-	-	-
KA3572G01:2	2.70-5.30	-	- ⁽²⁾	-	-	-	-	-
KA3574G01:3	1.80-4.10	-	- ⁽²⁾	-	-	-	-	-
KA3539G:2	15.85-17.60	X	6:13a	2005-11-28	16:00:00	17:00:00	18:00:00	19:00:00
KA3539G:2	15.85-17.60	X	6:13b	2005-11-29	13:00:00	14:00:00	16:00:00	16:00:00

4 Equipment

4.1 Description of equipment

A large number of boreholes are instrumented with one or several packers. In all packed-off sections, the water pressure is measured. Each borehole section is connected to a tube of polyamide that via lead-through holes ends in the G-tunnel. All pressure transducers are placed in the G-tunnel to facilitate easy calibration and exchange of transducers that are out of order. The transducers are connected to the HMS system at Äspö Laboratory and it is a flexible system for changing the sampling frequency, see Figure 4-1. The maximum scan frequency is every third second. During periods with no hydraulic tests, the sampling (storing a value in the data base) frequency will be every second hour with an automatic increase of the sampling frequency if the pressure change since last registration is larger than 2kPa. During hydraulic tests, the sampling frequency may be up to every third second.



Figure 4-1. All pressure transducers are connected to the HMS system. In the G-tunnel there is a computer in the HMS system where logging frequencies easily can be changed.

4.2 Pressure sensors

The pressure in a borehole is transmitted via a plastic tube directly to a pressure transducer, *see* Figure 4-2.

The pressure transducers are either of the type DRUCK PTX 500 series or DRUCK PTX 600 series with a pressure range of 0 – 50 bar (absolute).

According to the manufacturer the uncertainty for these transducers is $\pm 0.2\%$ (type 500) and $\pm 0.08\%$ (type 600) of full scale (F.S) for the best straight line (B.S.L.). For the 600 series types the time drift is given to max. 0.05% F.S., while no figure is given for the 500 series types. Normally, a pressure value is scanned once every third second. If the change since the latest stored value exceeds a “change value” of approximately 2 kPa the newly scanned value is stored. A value is always stored once every second hour, regardless of any changes.



Figure 4-2. Pressure transducers connections

4.3 Flowmeter equipment

A new kind of flowmeter, see Figure 4-3, is used in order to obtain continuously flow measurements during the tests. The equipment system used was originally developed by Micro Motion, Inc. in USA, and is comprised of a sensor and a signal processing transmitter. It is called a Coriolis mass flowmeter and measures mass flow directly. The volume flow can be obtained when knowing the temperature, the pressure and finally the density of the fluid (water).

The fluid enters the sensor and travels through the sensor's flow tubes, which vibrate and twist. The twisting characteristic is called the Coriolis effect. According to Newton's Second Law of Motion, the amount of sensor tube twist is directly proportional to the mass flow rate of the fluid flowing through the tube.

The equipment unit consist of two flowmeters with different measurement ranges. The measurement range for the large flowmeter is 0 to appr. 36 kg/min and for the small flowmeter is 0 to approx. 1.8 kg/min.



Figure 4-3. The equipment for flowrate measurement with Micro Motion Coriolis mass flowmeter system

4.4 Deformation measurements

During storage of nuclear waste in the rock mass the temperature will increase due to the heat loss from the canisters with spent fuel. This will increase the rock stresses and the fractures will generally close, but may locally open due to the stress situation (*Alm et al, 2005*).

It is of interest to investigate the magnitude of this effect on the fracture transmissivity since the fracture transmissivity is essential of two reasons. First, enough transmissivity is needed to provide the bentonite buffer with water if no artificial moistening of the buffer is arranged. Secondly, the transmissivity should be as low as possible in order to minimise the hydraulic contact with the canisters. The increased temperature will decrease the transmissivity, which in principal is positive in perspective of Safety Assessment. The last effect is however limited in time and may not be of any greater importance in Safety Assessment.

Displacement measurements are done continuously. Hydraulic tests will be made a number of times during the operation period for the ten measurement sections. An extra section is also equipped with hydromechanical measurements equipment and is used as a reference hole (KG0010B01). Most tests have been planned to be made during the first years of operation when the largest displacements are expected to occur. This report details the interference results from the fifth test campaign. They are done in order to provide hydrogeological data useful for setting up a hydrogeological model of the rock volume around the TBM tunnel.

In order to investigate the hydro mechanical response of the fractures as a result of the increased thermal load, two different approaches are considered.

The first approach is to measure the change of the fracture width as function of temperature and time. The displacement is both measured for the intact rock as for a section with one or more fractures.

The second approach implies that the mechanical response is evaluated indirect by using the results from hydraulic tests. Single hole hydro tests is performed in the same sections as the mechanical measurements are made (*Forsmark, Rhén, 2004a, 2004b, 2004c, 2005a and 2005c*).

All results from the hydromechanical measurements will be documented in separate documents.

4.4.1 Measurement equipment

In order to measure the fracture deformation (and to separate the fracture deformation from the deformation of the intact rock) due to the increased temperature a measurement equipment has been developed.

The equipment consists of two hydraulic packers, which hydraulically isolate the test section. Between the packers three anchors are placed. These anchors are fixed to the borehole wall and in the sections between the anchors sensors (strain gage) are mounted. These sections are called mechanical measurement sections. The sensors will register any relative movement between the anchors; see Figure 4-4 and 4-5. The temperature is also measured in each sensor by a thermistor.




Figure 4-4. A schematic figure that shows the different parts of the test equipment and also the definitions of the terms outer and inner.

The deformation is measured in two sections in each borehole. One mechanical measurement section is placed over a fracture (or fractures) and the other mechanical measurement section is placed over intact rock. That makes it possible to separate the fracture deformation from the deformation of the intact rock.

Of all boreholes in the prototype tunnel, ten are equipped as described above. Five of the measurement sections are placed over a single fracture and the rest are placed over two to six fractures, see Table 4-1.

Since hydraulic packers isolate the test sections and the test sections have contact with the tunnel (atmospheric pressure) via tubes and valves it is possible to perform hydraulic tests in the sections.

Table 4-1 Data of the deformation measurement sections (sensors, length, number of fractures etc).

Label	Cable mark	Sensor S/N	Position	Secup	Seclow	Section length (m)	Number of fractures
KA3539G-2-1	HRA 1121	3511	Inner	16.77	16.97	0.20	2
KA3539G-2-2	HRA 1122	3510	Outer	16.47	16.67	0.20	0
KA3542G01-3-1	HRA 1231	3513	Inner	19.47	19.67	0.20	0
KA3542G01-3-2	HRA 1232	3512	Outer	19.17	19.37	0.20	1
KA3542G02-2-1	HRA 1321	3515	Inner	26.50	26.70	0.20	1
KA3542G02-2-2	HRA 1322	3514	Outer	26.20	26.40	0.20	0
KA3544G01-2-1	HRA 1621	3509	Inner	9.82	10.02	0.20	1
KA3544G01-2-2	HRA 1622	3508	Outer	9.52	9.72	0.20	0
KA3546G01-2-1	HRA 1721	3517	Inner	7.67	7.87	0.20	1
KA3546G01-2-2	HRA 1722	3516	Outer	7.37	7.57	0.20	0
KA3548A01-3-1	HRA 1831	3526	Inner	9.70	10.15	0.45	2
KA3548A01-3-2	HRA 1832	3518	Outer	9.40	9.60	0.20	0
KA3550G01-2-1	HRA 2121	3527	Inner	6.10	6.70	0.60	6
KA3550G01-2-2	HRA 2122	3519	Outer	5.80	6.00	0.20	0
KA3552G01-2-1	HRA 2521	3521	Inner	5.25	5.45	0.20	0
KA3552G01-2-2	HRA 2522	3520	Outer	4.95	5.15	0.20	2
KA3554G01-2-1	HRA 2821	3525	Inner	23.54	23.80	0.26	2
KA3554G01-2-2	HRA 2822	3522	Outer	23.24	23.44	0.20	0
KA3554G02-4-1	HRA 2941	3524	Inner	11.40	11.60	0.20	0
KA3554G02-4-2	HRA 2942	3523	Outer	11.10	11.30	0.20	1
KG0010B01-1-1	-	3238	Inner	3.66	3.86	0.20	-
KG0010B01-1-2	-	3507	Outer	3.36	3.56	0.20	-




Figure 4-5. A detailed figure of the three anchors, sensors (strain gage), positioning cylinder etc.

5 Execution

5.1 Preparations

Planning is an important step in the preparation stage. No other activities, which may cause pressure responses, must occur in the neighbourhood of the test area. Such activities include drilling, blasting and flowing of boreholes.

Preparations also include checking of equipment to be used in the tests. The equipment included

- measuring glasses of various sizes
- synchronizing watches with the HMS system (only normal time)
- protocols for flow measurements
- water sampling bottles
- hand calculator
- flow rate measurement equipment with Micro Motion flowmeter system

5.2 Execution of tests/measurements

5.2.1 Test principle

The main purpose of a single hole pressure build-up test is to do a test, which makes it possible to evaluate the hydraulic properties of the bedrock around the tested borehole section.

5.2.2 Test procedure

The following measurement cycle is used:

- Initialising of the HMS system 30 minutes before flow start with logging interval of 5 minutes
- A couple of minutes before flow start and until 5 minutes after flow start the highest logging interval of 3 seconds are used. Thereafter the logging interval is 30 seconds which is used until 30 minutes after flow start and a logging interval of 5 minutes is then used once again
- The flow is measured manually 2-3 times the first 5 minutes after flow start, 2-3 times the following 60 minutes and 3 times shortly before flow stop
- From shortly before flow stop until 5 minutes after flow stop the highest logging interval of 3 seconds are used. Thereafter the logging frequency is 30 seconds which is used until 30 minutes after flow start and a logging frequency of 5 minutes is then used
- The valve shutting is done as swiftly as possible

5.3 Data handling

The test operator is keeping a diary during the test period. Data from the hydro tests includes:

- Daily logs in accordance with Äspö Hard Rock Laboratory routines
- Protocols from flow measurements

The project coordinator collected all data and delivered it to the data handling responsible person at Äspö for further SICADA handling.

5.4 Analyses and interpretation

5.4.1 Single hole tests

The following description applies to the analysis in this report. The analysis done is for the recovery phase only.

While plotting the data, three different kinds of graphs are produced. The first plot is made in a linear scale. The time, date and hours is indicated on the horizontal axis. The pressure (p), expressed in bar or metres of water head is indicated on the vertical axis. The second plot is made in a semi-logarithmic diagram, where the pressure change, Δp , is plotted versus the equivalent time, dt_e , in minutes. The equivalent time, dt_e , (*Spang, Wurstner, 1993*) is defined as

$$dt_e = (t_p \cdot dt) / (t_p + dt) \quad \text{where}$$

t_p = the flowing time of the borehole before shutting the valve

dt = the time after shutting the valve

The pressure change Δp is calculated as

$$\Delta p = p(dt) - p(t_p)$$

$p(dt)$ = measured pressure at time dt after shutting the valve

$p(t_p)$ = measured pressure just before shutting the valve

The third plot is made in a logarithmic diagram, where the change of pressure, Δp , is plotted versus the equivalent time, dt_e , in minutes. The derivative of the pressure is also plotted in this diagram.

The pressure normally is signed using the p and a change of pressure using a Δp . In the diagrams the pressure can be expressed in bar, kPa or in metres of water head. In the formulas below however the praxis is to use the s for the change of water head and Δs for the difference of pressure over one decade in a logarithmic diagram. The s or Δs values shall be expressed in metres before used in the formulas.

Hydrologic test analysis based on the derivative of pressure (i.e., rate of pressure change) with respect to the natural logarithm of time has been shown to significantly improve the diagnostic and quantitative analysis of slug and constant-rate discharge tests (i.e., pumping tests) (*Spaine, Wurstner, 1993*). The improvement in hydrologic test analysis is attributed to the sensitivity of the derivative response to small variations in the rate of pressure change that occurs during testing, which would otherwise be less obvious with standard pressure change versus time analysis techniques. The sensitivity of pressure derivatives to pressure change responses facilitates their use in identifying the presence of wellbore storage, boundaries, and establishment of flow conditions, as e.g. radial flow, within the test data record. Specifically, pressure derivative analysis can be used to:

- diagnostically determine formation response (homogeneous vs. heterogeneous) and boundary conditions (impermeable or constant head) that are evident during the test,
- determine when radial flow conditions are established and, therefore, when straight-line solution analysis of drawdown data is valid, and
- assist in log-log type-curve matching to determine hydraulic properties for test data exhibiting wellbore storage and/or leakage effects.

The software DERIV, (*Spaine, Wurstner, 1993*), is used to produce the derivative. DERIV is a software for converting slug and constant-rate discharge test data and type curves to derivative format. The software has features that permit the smoothing of noisy test data, accounts for pressure derivative end-effects, and can be used to convert slug test data to equivalent constant-rate test responses.

Two different geohydrological parameters of the borehole can easily be evaluated. These parameters are:

- the specific capacity, Q/s (m^2/s)
- the transmissivity, T (m^2/s)

The specific capacity is as mentioned above, Q/s , where Q is the calculated average water flow before shutting the valve and s is the maximum change of pressure, in metres, during the test.

To evaluate the transmissivity, T , the following methodology should be used:

The flow regime can be estimated from the logarithmic plot. In most cases the flow can be said to be radial to the borehole approximately 1.0-1.5 decades after the time the curve has left the 1:1 curve. The 1:1 curve indicates the well bore storage, WBS. The transmissivity is then calculated with Jacob's semi logarithmic approximation of Theis well function

$$T = 0.183 \cdot Q / \Delta s$$

Q = the average flow rate before shutting the valve (m^3/s)

Δs = the pressure change in metres during a decade along the straight line (radial flow period) in the semi logarithmic diagram.

Sometimes both the logarithmic and the semi logarithmic diagrams indicate a more complicated flow regime than described above (WBS, transition, radial flow, linear flow) and in these cases it is necessary to decide what part of the curve and what evaluation method that is appropriate for estimating the hydraulic properties.

In a fracture, different flow regimes may be observed at different times, (*Horne, 1995*). At very early time only a linear flow regime occur within the fracture. At early time, there is linear flow within the fracture and linear flow into the fracture from the rock formation. The combination of these two linear flows gives rise to a bilinear flow period. This part of the pressure response is characterized by a straight line with slope 1:4 at early time on a log-log plot of pressure drop against time. Following the bilinear flow period, finite conductivity fracture responses generally enter a transition after bilinear flow, but reach radial flow before ever achieving linear flow, recognizable by the upward bending of the pressure response curve towards a 1:2 slope on the log-log plot. In practice, the 1:2 slope is rarely seen except in fractures where the conductivity is infinite.

The Moye formula can be used for interpretation of stationary tests in order to get an estimate of the transmissivity

$$T_{\text{Moye}} = Q \cdot (1 + \ln(L/(2 \cdot r_w))) / (2 \cdot \pi \cdot \Delta h) \quad \text{where}$$

$$\Delta h = (p_0 - p_p) / (\rho_w \cdot g) \quad [\text{m}]$$

$$L = \text{test section length} \quad [\text{m}]$$

$$r_w = \text{borehole radius} \quad [\text{m}]$$

$$p_0 = \text{absolute pressure in test section before start of flow period} \quad [\text{Pa}]$$

$$p_p = \text{absolute pressure in test section before stop of flow period} \quad [\text{Pa}]$$

$$\rho_w = \text{water density} \quad [\text{kg/m}^3]$$

$$g = \text{acceleration of gravity} \quad [\text{m/s}^2]$$

When the skin factor, ξ , is determined, use is made of the fact that the increase in pressure change, Δp , due to the skin effect is constant during the test, (*Blomquist et al, 1985*). When the straight portion of the recovery curve displayed in a semi-logarithmic diagram is extrapolated to the zero line, this is cut at time t_0 (in minutes). If the skin effect would not exist the same line would cut the zero line at time t_{0f} . This time can be calculated as

$$t_{0f} = (S^* \cdot r_w^2) / (135 \cdot T) \quad \text{where} \quad [\text{min}]$$

$$S^* = \text{estimated rock storativity (} 10^{-6} \text{ is used in this area)} \quad [-]$$

$$r_w = \text{borehole radius} \quad [\text{m}]$$

$$T = \text{evaluated transmissivity} \quad [\text{m}^2/\text{s}]$$

Finally the skin factor is calculated such as

$$\xi = 1.15 \cdot \log (t_{0f} / t_0) \quad [-]$$

6 Results

6.1 Single hole tests

6.1.1 KA3552G01:2, test No 6:1

General test data for the pressure build-up test in the interval 4.35-6.05 m of borehole KA3552G01 are presented in Table 6-1.

Table 6-1 General test data for the pressure build-up test in section 4.35-6.05 m of borehole KA3552G01

General test data			
Borehole section	KA3552G01:2		
Test No	6:1		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test (dp _p = max)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	4.35
Test section- seclow	Seclow	m	6.05
Test section length	L _w	m	1.70
Test section diameter	2·r _w	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051130 12:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051130 13:00:00
Stop of flow period		yymmdd hh:mm:ss	20051130 15:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051130 16:00:00
Total flow time	t _p	min	120
Total recovery time	t _F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p ₀	kPa	548.65	
Absolute pressure in test section before stop of flow	p _p	kPa	98.13	
Absolute pressure in test section at stop of recovery period	p _f	kPa	585.30	
Maximal pressure change during flow period	dp _p	kPa	450.52	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q _p	m ³ /s	6.84 · 10 ⁻⁸
Mean (arithmetic) flow rate during flow period	Q _m	m ³ /s	8.75 · 10 ⁻⁹
Total volume discharged during flow period	V _p	m ³	6.30 · 10 ⁻⁵




Figure 6-1. Flow rates during draw down in KA3552G01:2. No flowmeter readings are available.

Comments to the test

The change of shape of the pressure curve at 2 minutes is due to the unfortunate closing of a valve upstream of the flow meter.

Interpreted flow regimes

- 0 – 2 minutes Well Bore Storage (WBS)
- 2 – 25 minutes Transition period
- 25 – minutes Radial flow period

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 4.35-6.05 m in KA3552G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:1
Borehole ID:	KA3552G01	Test start:	2005-11-30 12:00
Test section (m):	4.35-6.05	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	548.65		
p _i (kPa)			
p _p (kPa)	98.13	p _F (kPa)	585.30
Q _p (m ³ /s)	6.84 · 10 ⁻⁸		
t _p (min)	120	t _F (min)	120
S*	1 · 10 ⁻⁶	S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	1.5 · 10 ⁻⁹	Flow regime:	Radial
T _{Moye} (m ² /s)	9.9 · 10 ⁻¹⁰	dt _{e1} (min)	25
Flow regime:		dt _{e2} (min)	36
dt ₁ (min)		T (m ² /s)	4.6 · 10 ⁻¹⁰
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	-1.6
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	25	C _D (-)	
dt ₂ (min)	35	ξ (-)	-1.6
T _T (m ² /s)	4.6 · 10 ⁻¹⁰		
S (-)			
K _s (m/s)			
S _s (1/m)			

Comments: The change of shape of the pressure curve at 2 minutes is due to the unfortunate closing of a valve upstream of the flow meter.

6.1.2 KA3554G01:2 , test No 6:2a

General test data for the pressure build-up test in the interval 22.60-24.15 m of borehole KA3554G01 are presented in Table 6-2.

Table 6-2 General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01

General test data			
Borehole section	KA3554G01:2		
Test No	6:2a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 100 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	22.60
Test section- seclow	Seclow	m	24.15
Test section length	L_w	m	1.55
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051128 18:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051128 19:00:00
Stop of flow period		yymmdd hh:mm:ss	20051128 21:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051128 22:00:00
Total flow time	t_p	min	120
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3485.54	
Absolute pressure in test section before stop of flow	p_p	kPa	2408.51	
Absolute pressure in test section at stop of recovery period	p_r	kPa	3456.06	
Maximal pressure change during flow period	dp_p	kPa	1077.03	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.05 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.02 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.074086




Figure 6-2. Flow rates during draw down in KA3554G01:2.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

0 – 0.3	minutes	Well Bore Storage (WBS)
0.3 – 7	minutes	Transition period
7 – 11	minutes	Radial flow period
11 – 50	minutes	Transition period
50 –		Possible larger scale radial flow

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 22.60-24.15 m in KA3554G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:2a
Borehole ID:	KA3554G01	Test start:	2005-11-28 18:00
Test section (m):	22.60-24.15	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	3485.54		
p _i (kPa)			
p _p (kPa)	2408.51	p _F (kPa)	3456.06
Q _p (m ³ /s)	1.05 · 10 ⁻⁵		
t _p (min)	120	t _F (min)	60
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	9.7 · 10 ⁻⁸	Flow regime:	Radial
T _{Moye} (m ² /s)	6.2 · 10 ⁻⁸	dt _{e1} (min)	7
Flow regime:		dt _{e2} (min)	11
dt ₁ (min)		T (m ² /s)	4.5 · 10 ⁻⁷
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	20
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	7	C _D (-)	
dt ₂ (min)	11	ξ (-)	20
T _T (m ² /s)	4.5 · 10 ⁻⁷		
S (-)			
K _s (m/s)			
S _s (1/m)			
Comments: The test is successful in regard to pressure response.			

6.1.3 KA3554G01:2 , test No 6:2b

General test data for the pressure build-up test in the interval 22.60-24.15 m of borehole KA3554G01 are presented in Table 6-3.

Table 6-3 General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01

General test data			
Borehole section	KA3554G01:2		
Test No	6:2b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 200 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	22.60
Test section- seclow	Seclow	m	24.15
Test section length	L_w	m	1.55
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051129 17:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051129 18:00:00
Stop of flow period		yymmdd hh:mm:ss	20051129 20:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051129 21:00:00
Total flow time	t_p	min	120
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3470.18	
Absolute pressure in test section before stop of flow	p_p	kPa	1450.21	
Absolute pressure in test section at stop of recovery period	p_r	kPa	3425.96	
Maximal pressure change during flow period	dp_p	kPa	2019.97	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.70 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.69 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.121664




Figure 6-3. Flow rates during draw down in KA3554G01:2.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

- 0 – 0.25 minutes Well Bore Storage (WBS)
- 0.25 – 9 minutes Transition period
- 9 – 11 minutes Radial flow period
- 11 – minutes Transition period

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 22.60-24.15 m in KA3554G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:2b
Borehole ID:	KA3554G01	Test start:	2005-11-29 17:00
Test section (m):	22.60-24.15	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	3470.2		
p _i (kPa)			
p _p (kPa)	1450.2	p _F (kPa)	3426.0
Q _p (m ³ /s)	1.70 · 10 ⁻⁵		
t _p (min)	120	t _F (min)	60
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	8.4 · 10 ⁻⁸	Flow regime:	Radial
T _{Moye} (m ² /s)	5.4 · 10 ⁻⁸	dt _{e1} (min)	9
Flow regime:		dt _{e2} (min)	11
dt ₁ (min)		T (m ² /s)	4.3 · 10 ⁻⁷
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	23
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	9	C _D (-)	
dt ₂ (min)	11	ξ (-)	23
T _T (m ² /s)	4.3 · 10 ⁻⁷		
S (-)			
K _s (m/s)			
S _s (1/m)			

Comments: The test is successful in regard to pressure response.

6.1.4 KA3554G01:2 , test No 6:2c

General test data for the pressure build-up test in the interval 22.60-24.15 m of borehole KA3554G01 are presented in Table 6-4.

Table 6-4 General test data for the pressure build-up test in section 22.60-24.15 m of borehole KA3554G01

General test data			
Borehole section	KA3554G01:2		
Test No	6:2c		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	22.60
Test section- seclow	Seclow	m	24.15
Test section length	L_w	m	1.55
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051130 17:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051130 18:00:00
Stop of flow period		yymmdd hh:mm:ss	20051130 20:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051130 21:00:00
Total flow time	t_p	min	120
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3460.15	
Absolute pressure in test section before stop of flow	p_p	kPa	591.83	
Absolute pressure in test section at stop of recovery period	p_r	kPa	3404.87	
Maximal pressure change during flow period	dp_p	kPa	2868.32	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$2.20 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$2.24 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.161313




Figure 6-4 Flow rates during draw down in KA3554G01:2. No flowmeter readings are available.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

0 – 0.3	minutes	Well Bore Storage (WBS)
0.3 – 9	minutes	Transition period
9 – 11	minutes	Radial flow period
11 –	minutes	Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 22.60-24.15 m in KA3554G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:2c
Borehole ID:	KA3554G01	Test start:	2005-11-30 17:00
Test section (m):	22.60-24.15	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period	Recovery period		
	Indata	Indata		
	p ₀ (kPa)	3460.15		
	p _i (kPa)			
	p _p (kPa)	591.83	p _F (kPa)	3404.87
	Q _p (m ³ /s)	2.26 · 10 ⁻⁵		
	t _p (min)	120	t _F (min)	60
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results	Results		
	Q/s (m ² /s)	7.7 · 10 ⁻⁸	Flow regime:	Radial
	T _{Moye} (m ² /s)	4.9 · 10 ⁻⁸	dt _{e1} (min)	9
	Flow regime:		dt _{e2} (min)	11
	dt ₁ (min)		T (m ² /s)	4.0 · 10 ⁻⁷
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	25
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	9	C _D (-)	
	dt ₂ (min)	11	ξ (-)	25
	T _T (m ² /s)	4.0 · 10 ⁻⁷		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: The test is successful in regard to pressure response.				

6.1.5 KA3554G02:4, test No 6:3a

General test data for the pressure build-up test in the interval 10.50-12.20 m of borehole KA3554G02 are presented in Table 6-5.

Table 6-5 General test data for the pressure build-up test in section 10.50-12.20 m of borehole KA3554G02

General test data			
Borehole section	KA3554G02:4		
Test No	6:3a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 100 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	10.50
Test section- seclow	Seclow	m	12.20
Test section length	L_w	m	1.70
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051129 07:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051129 08:00:00
Stop of flow period		yymmdd hh:mm:ss	20051129 10:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051129 11:00:00
Total flow time	t_p	min	120
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	1584.90	
Absolute pressure in test section before stop of flow	p_p	kPa	974.16	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1591.45	
Maximal pressure change during flow period	dp_p	kPa	610.74	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$7.03 \cdot 10^{-8}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	-
Total volume discharged during flow period	V_p	m^3	-




Figure 6-5 Flow rates during draw down in KA3554G02:4.

Comments to the test

The test is successful in regard to pressure response. The radial flow period is uncertain.

Interpreted flow regimes

0 – 1	minutes	Well Bore Storage (WBS)
1 – 50	minutes	Transition period
50 –	minutes	Probable radial flow period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.


Selected representative parameters

The selected representative parameters from the test in the interval 10.50-12.20 m in KA3554G02 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:3a
Borehole ID:	KA3554G02	Test start:	2005-11-29 07:00
Test section (m):	10.50-12.20	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark


Linear plot Head



Flow period

Indata		Recovery period	
Indata		Indata	
p ₀ (kPa)	1584.9		
p _i (kPa)			
p _p (kPa)	974.16	p _F (kPa)	1591.5
Q _p (m ³ /s)	7.03 · 10 ⁻⁸		
t _p (min)	120	t _F (min)	60
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2


Lin-Log plot



Results

Results		Results	
Q/s (m ² /s)	1.2 · 10 ⁻⁹	Flow regime:	Radial
T _{Moye} (m ² /s)	7.5 · 10 ⁻¹⁰	dt _{e1} (min)	50
Flow regime:		dt _{e2} (min)	60
dt ₁ (min)		T (m ² /s)	1.5 · 10 ⁻⁸
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	75
C _D (-)			
ξ (-)			

Log-Log plot incl. derivative- recovery period



Interpreted formation and well parameters.

Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	50	C _D (-)	
dt ₂ (min)	60	ξ (-)	75
T _T (m ² /s)	1.5 · 10 ⁻⁸		
S (-)			
K _s (m/s)			
S _s (1/m)			

Comments:

6.1.6 KA3554G02:4 , test No 6:3b

General test data for the pressure build-up test in the interval 10.50-12.20 m of borehole KA3554G02 are presented in Table 6-6.

Table 6-6 General test data for the pressure build-up test in section 10.50-12.20 m of borehole KA3554G02

General test data			
Borehole section	KA3554G02:4		
Test No	6:3b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	10.50
Test section- seclow	Seclow	m	12.20
Test section length	L_w	m	1.70
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051201 12:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051201 13:00:00
Stop of flow period		yymmdd hh:mm:ss	20051201 15:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051201 16:00:00
Total flow time	t_p	min	120
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	1624.80	
Absolute pressure in test section before stop of flow	p_p	kPa	289.96	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1619.45	
Maximal pressure change during flow period	dp_p	kPa	1334.84	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.86 \cdot 10^{-7}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.90 \cdot 10^{-7}$
Total volume discharged during flow period	V_p	m^3	$1.37 \cdot 10^{-3}$




Figure 6-6 Flow rates during draw down in KA3554G02:4.

Comments to the test

The test is successful in regard to pressure response. The radial flow period is uncertain.

Interpreted flow regimes

0 – 1	minutes	Well Bore Storage (WBS)
1 – 39	minutes	Transition period
39 – 42	minutes	Probable radial flow period
42 –	minutes	Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 10.50-12.20 m in KA3554G02 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet					
Project:	PROTOTYPE	Test type:	PBT		
Area:	ÄSPÖ	Test no:	6:3b		
Borehole ID:	KA3554G02	Test start:	2005-12-01 12:00		
Test section (m):	10.50-12.20	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson		
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark		
Linear plot Head		Flow period			
		Recovery period			
		Indata			
		Indata			
		p ₀ (kPa)	1624.80		
		p _i (kPa)			
		p _p (kPa)	289.96	p _F (kPa)	1619.45
		Q _p (m ³ /s)	1.86 · 10 ⁻⁷		
		t _p (min)	120	t _F (min)	60
		S*		S*	1 · 10 ⁻⁶
		EC _w (mS/m)			
		Te _w (gr C)			
		Derivative fact.		Derivative fact.	0.2
Lin-Log plot		Results			
		Results			
		Q/s (m ² /s)	1.4 · 10 ⁻⁹	Flow regime:	Radial
		T _{Moye} (m ² /s)	9.1 · 10 ⁻¹⁰	dt _{e1} (min)	39
		Flow regime:		dt _{e2} (min)	42
		dt ₁ (min)		T (m ² /s)	1.8 · 10 ⁻⁸
		dt ₂ (min)		S (-)	
		T (m ² /s)		K _s (m/s)	
		S (-)		S _s (1/m)	
		K _s (m/s)		C (m ³ /Pa)	
		S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	77		
C _D (-)					
ξ (-)					
Log-Log plot incl. derivative- recovery period		Interpreted formation and well parameters.			
		Flow regime:	Radial	C (m ³ /Pa)	
		dt ₁ (min)	39	C _D (-)	
		dt ₂ (min)	42	ξ (-)	77
		T _T (m ² /s)	1.8 · 10 ⁻⁸		
		S (-)			
		K _s (m/s)			
S _s (1/m)					
		Comments:			

6.1.7 KA3548A01:3 , test No 6:4a

General test data for the pressure build-up test in the interval 8.80-10.75 m of borehole KA3548A01 are presented in Table 6-7.

Table 6-7 General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01

General test data			
Borehole section	KA3548A01:3		
Test No	6:4a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 100 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	8.80
Test section- seclow	Seclow	m	10.75
Test section length	L_w	m	1.95
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051129 15:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051129 16:00:00
Stop of flow period		yymmdd hh:mm:ss	20051129 17:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051129 18:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3113.55	
Absolute pressure in test section before stop of flow	p_p	kPa	2062.23	
Absolute pressure in test section at stop of recovery period	p_r	kPa	3013.98	
Maximal pressure change during flow period	dp_p	kPa	1051.32	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.16 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.16 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.04164




Figure 6-7 Flow rates during draw down in KA3548A01:3.

Comments to the test

The test is successful in regard to pressure response. The radial flow period occurs very early in the test.

Interpreted flow regimes

- 0 – 0.05 minutes Well Bore Storage (WBS)
- 0.05 – 0.3 minutes Transition period
- 0.3 – 0.5 minutes Radial flow period
- 0.5 – minutes Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 8.80-10.75 m in KA3548A01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:4a
Borehole ID:	KA3548A01	Test start:	2005-11-29 15:00
Test section (m):	8.80-10.75	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period	Recovery period		
	Indata	Indata		
	p ₀ (kPa)	3113.55		
	p _i (kPa)			
	p _p (kPa)	2062.23	p _F (kPa)	3013.98
	Q _p (m ³ /s)	1.16 · 10 ⁻⁵		
	t _p (min)	60	t _F (min)	60
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results	Results		
	Q/s (m ² /s)	1.1 · 10 ⁻⁷	Flow regime:	Radial
	T _{Moye} (m ² /s)	7.5 · 10 ⁻⁸	dt _{e1} (min)	0.3
	Flow regime:		dt _{e2} (min)	0.5
	dt ₁ (min)		T (m ² /s)	1.1 · 10 ⁻⁷
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-1.7
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	0.3	C _D (-)	
	dt ₂ (min)	0.5	ξ (-)	-1.7
	T _T (m ² /s)	1.1 · 10 ⁻⁷		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test.				

6.1.8 KA3548A01:3 , test No 6:4b

General test data for the pressure build-up test in the interval 8.80-10.75 m of borehole KA3548A01 are presented in Table 6-8.

Table 6-8 General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01

General test data			
Borehole section	KA3548A01:3		
Test No	6:4b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p =$ approximate 200 m)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	8.80
Test section- seclow	Seclow	m	10.75
Test section length	L_w	m	1.95
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051130 15:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051130 16:00:00
Stop of flow period		yymmdd hh:mm:ss	20051130 17:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051130 18:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3139.11	
Absolute pressure in test section before stop of flow	p_p	kPa	1269.34	
Absolute pressure in test section at stop of recovery period	p_f	kPa	2994.55	
Maximal pressure change during flow period	dp_p	kPa	1869.77	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.89 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.93 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.069437




Figure 6-8 Flow rates during draw down in KA3548A01:3. No flowmeter readings are available.

Comments to the test

The test is successful in regard to pressure response. The radial flow period occurs very early in the test.

Interpreted flow regimes

- 0 – 0.15 minutes Well Bore Storage (WBS)
- 0.15 – 0.3 minutes Transition period
- 0.3 – 0.7 minutes Radial flow period
- 0.7 – minutes Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 8.80-10.75 m in KA3548A01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:4b
Borehole ID:	KA3548A01	Test start:	2005-11-30 16:00
Test section (m):	8.80-10.75	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period	Recovery period		
	Indata	Indata		
	p ₀ (kPa)	3139.11		
	p _i (kPa)			
	p _p (kPa)	1269.34	p _F (kPa)	2994.55
	Q _p (m ³ /s)	1.89 · 10 ⁻⁵		
	t _p (min)	60	t _F (min)	60
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results	Results		
	Q/s (m ² /s)	1.0 · 10 ⁻⁷	Flow regime:	Radial
	T _{Moye} (m ² /s)	6.8 · 10 ⁻⁸	dt _{e1} (min)	0.3
	Flow regime:		dt _{e2} (min)	0.7
	dt ₁ (min)		T (m ² /s)	9.2 · 10 ⁻⁸
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-1.5
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	0.3	C _D (-)	
	dt ₂ (min)	0.7	ξ (-)	-1.5
	T _T (m ² /s)	9.2 · 10 ⁻⁸		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test.				

6.1.9 KA3548A01:3 , test No 6:4c

General test data for the pressure build-up test in the interval 8.80-10.75 m of borehole KA3548A01 are presented in Table 6-9.

Table 6-9 General test data for the pressure build-up test in section 8.80-10.75 m of borehole KA3548A01

General test data			
Borehole section	KA3548A01:3		
Test No	6:4c		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test (dp _p = max)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	8.80
Test section- seclow	Seclow	m	10.75
Test section length	L _w	m	1.95
Test section diameter	2·r _w	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051201 15:10:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051201 16:10:00
Stop of flow period		yymmdd hh:mm:ss	20051201 17:10:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051201 18:10:00
Total flow time	t _p	min	60
Total recovery time	t _F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p ₀	kPa	3160.98	
Absolute pressure in test section before stop of flow	p _p	kPa	601.79	
Absolute pressure in test section at stop of recovery period	p _r	kPa	2974.31	
Maximal pressure change during flow period	dp _p	kPa	2559.19	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q _p	m ³ /s	2.38 · 10 ⁻⁵
Mean (arithmetic) flow rate during flow period	Q _m	m ³ /s	2.51 · 10 ⁻⁵
Total volume discharged during flow period	V _p	m ³	0.090524




Figure 6-9 Flow rates during draw down in KA3548A01:3.

Comments to the test

The test is successful in regard to pressure response. The evaluated radial flow period occurs early in the test.

Interpreted flow regimes

- 0 – 0.15 minutes Well Bore Storage (WBS)
- 0.15 – 0.25 minutes Transition period
- 0.25 – 0.6 minutes Radial flow period
- 0.6 – 20 minutes Transition period
- 20 – minutes Radial flow period

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 8.80-10.75 m in KA3548A01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:4c
Borehole ID:	KA3548A01	Test start:	2005-12-01 15:10
Test section (m):	8.80-10.75	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	3160.98		
p _i (kPa)			
p _p (kPa)	601.79	p _F (kPa)	2974.31
Q _p (m ³ /s)	2.75 · 10 ⁻⁵		
t _p (min)	60	t _F (min)	60
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	9.3 · 10 ⁻⁸	Flow regime:	Radial
T _{Moye} (m ² /s)	6.3 · 10 ⁻⁸	dt _{e1} (min)	0.25
Flow regime:		dt _{e2} (min)	0.6
dt ₁ (min)		T (m ² /s)	9.6 · 10 ⁻⁸
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	-0.9
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	0.25	C _D (-)	
dt ₂ (min)	0.6	ξ (-)	-0.9
T _T (m ² /s)	9.6 · 10 ⁻⁸		
S (-)			
K _s (m/s)			
S _s (1/m)			

Comments: A successful test.

6.1.10 KA3542G01:3 , test No 6:5a

General test data for the pressure build-up test in the interval 18.60-20.30 m of borehole KA3542G01 are presented in Table 6-10.

Table 6-10 General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01

General test data			
Borehole section	KA3542G01:3		
Test No	6:5a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 100 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	18.60
Test section- seclow	Seclow	m	20.30
Test section length	L_w	m	1.70
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051129 10:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051129 11:00:00
Stop of flow period		yymmdd hh:mm:ss	20051129 12:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051129 14:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3087.52	
Absolute pressure in test section before stop of flow	p_p	kPa	2725.79	
Absolute pressure in test section at stop of recovery period	p_r	kPa	3072.05	
Maximal pressure change during flow period	dp_p	kPa	361.73	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$2.49 \cdot 10^{-6}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$2.46 \cdot 10^{-6}$
Total volume discharged during flow period	V_p	m^3	$8.867 \cdot 10^{-3}$




Figure 6-10 Flow rate during draw down in KA3542G01:3.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

0 – 0.2	minutes	Well Bore Storage (WBS)
0.2 – 35	minutes	Transition period
35 – 40	minutes	Radial flow period
40 –	minutes	Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 18.60-20.30 m in KA3542G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:5a
Borehole ID:	KA3542G01	Test start:	2005-11-29 11:00
Test section (m):	18.60-20.30	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period	Recovery period		
	Indata	Indata		
	p ₀ (kPa)	3087.52		
	p _i (kPa)			
	p _p (kPa)	2725.79	p _F (kPa)	3072.05
	Q _p (m ³ /s)	2.49 · 10 ⁻⁶		
	t _p (min)	60	t _F (min)	120
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results	Results		
	Q/s (m ² /s)	6.9 · 10 ⁻⁸	Flow regime:	Radial
	T _{Moye} (m ² /s)	4.5 · 10 ⁻⁸	dt _{e1} (min)	35
	Flow regime:		dt _{e2} (min)	40
	dt ₁ (min)		T (m ² /s)	5.0 · 10 ⁻⁸
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-2.3
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	35	C _D (-)	
	dt ₂ (min)	40	ξ (-)	-2.3
	T _T (m ² /s)	5.0 · 10 ⁻⁸		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test.				

6.1.11 KA3542G01:3 , test No 6:5b

General test data for the pressure build-up test in the interval 18.60-20.30 m of borehole KA3542G01 are presented in Table 6-11.

Table 6-11 General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01

General test data			
Borehole section	KA3542G01:3		
Test No	6:5b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 200 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	18.60
Test section- seclow	Seclow	m	20.30
Test section length	L_w	m	1.70
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051201 17:15:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051201 18:15:00
Stop of flow period		yymmdd hh:mm:ss	20051201 19:15:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051201 21:15:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	2917.95	
Absolute pressure in test section before stop of flow	p_p	kPa	1097.27	
Absolute pressure in test section at stop of recovery period	p_r	kPa	2991.56	
Maximal pressure change during flow period	dp_p	kPa	1820.68	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$9.83 \cdot 10^{-6}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$9.94 \cdot 10^{-6}$
Total volume discharged during flow period	V_p	m^3	0.035789




Figure 6-11 Flow rate during draw down in KA3542G01:3.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

- 0 – 0.2 minutes Well Bore Storage (WBS)
- 0.2 – 15 minutes Transition period
- 15 – 22 minutes Radial flow period
- 22 - minutes Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 18.60-20.30 m in KA3542G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:5b
Borehole ID:	KA3542G01	Test start:	2005-12-01 17:15
Test section (m):	18.60-20.30	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period	Recovery period		
	Indata	Indata		
	p ₀ (kPa)	2917.95		
	p _i (kPa)			
	p _p (kPa)	1097.27	p _F (kPa)	2991.56
	Q _p (m ³ /s)	9.83 · 10 ⁻⁶		
	t _p (min)	60	t _F (min)	120
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results	Results		
	Q/s (m ² /s)	5.4 · 10 ⁻⁸	Flow regime:	Radial
	T _{Moye} (m ² /s)	3.5 · 10 ⁻⁸	dt _{e1} (min)	15
	Flow regime:		dt _{e2} (min)	22
	dt ₁ (min)		T (m ² /s)	5.0 · 10 ⁻⁸
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-0.5
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	15	C _D (-)	
	dt ₂ (min)	22	ξ (-)	-0.5
	T _T (m ² /s)	5.0 · 10 ⁻⁸		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test.				

6.1.12 KA3542G01:3 , test No 6:5c

General test data for the pressure build-up test in the interval 18.60-20.30 m of borehole KA3542G01 are presented in Table 6-12.

Table 6-12 General test data for the pressure build-up test in section 18.60-20.30 m of borehole KA3542G01

General test data			
Borehole section	KA3542G01:3		
Test No	6:5c		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	18.60
Test section- seclow	Seclow	m	20.30
Test section length	L_w	m	1.70
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051128 13:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051128 14:00:00
Stop of flow period		yymmdd hh:mm:ss	20051128 15:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051128 17:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	3091.20	
Absolute pressure in test section before stop of flow	p_p	kPa	257.50	
Absolute pressure in test section at stop of recovery period	p_r	kPa	2999.66	
Maximal pressure change during flow period	dp_p	kPa	2833.7	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.26 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.32 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.047539




Figure 6-12 Flow rate during draw down in KA3542G01:3. The reason for the loss of registered flow data is unknown.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

0 – 0.2	minutes	Well Bore Storage (WBS)
0.2 – 31	minutes	Transition period
31 – 36	minutes	Radial flow period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 18.60-20.30 m in KA3542G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet				
Project:	PROTOTYPE	Test type:	PBT	
Area:	ÄSPÖ	Test no:	6:5c	
Borehole ID:	KA3542G01	Test start:	2005-11-28 13:00	
Test section (m):	18.60-20.30	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson	
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark	
Linear plot Head	Flow period		Recovery period	
	Indata		Indata	
	p ₀ (kPa)	3091.20		
	p _i (kPa)			
	p _p (kPa)	257.50	p _F (kPa)	2999.66
	Q _p (m ³ /s)	1.26 · 10 ⁻⁵		
	t _p (min)	60	t _F (min)	120
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2
Lin-Log plot	Results		Results	
	Q/s (m ² /s)	4.4 · 10 ⁻⁸	Flow regime:	Radial
	T _{Moye} (m ² /s)	2.9 · 10 ⁻⁸	dt _{e1} (min)	31
	Flow regime:		dt _{e2} (min)	36
	dt ₁ (min)		T (m ² /s)	5.8 · 10 ⁻⁸
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	1.7
C _D (-)				
ξ (-)				
Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	31	C _D (-)	
	dt ₂ (min)	36	ξ (-)	1.7
	T _T (m ² /s)	5.8 · 10 ⁻⁸		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test. There is an earlier leveling of the derivate curve which may be interpreted as a radial flow period, However, the late radial flow period is used to estimate the transmissivity to give a fairer comparison with results from earlier test campaigns. Therer is worth to note, however, that there is a change in the shape of the derivate curve compared with earlier test campaigns.				

6.1.13 KA3542G02:2 , test No 6:7a

General test data for the pressure build-up test in the interval 25.60-27.20 m of borehole KA3542G02 are presented in Table 6-13.

Table 6-13 General test data for the pressure build-up test in section 25.60-27.20 m of borehole KA3542G02

General test data			
Borehole section	KA3542G02:2		
Test No	6:7a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p =$ approximate 100 m)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	25.60
Test section- seclow	Seclow	m	27.20
Test section length	L_w	m	1.60
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051201 07:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051201 08:00:00
Stop of flow period		yymmdd hh:mm:ss	20051201 11:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051201 13:00:00
Total flow time	t_p	min	180
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	2042.26	
Absolute pressure in test section before stop of flow	p_p	kPa	1079.37	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1940.40	
Maximal pressure change during flow period	dp_p	kPa	962.89	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$9.17 \cdot 10^{-8}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	-
Total volume discharged during flow period	V_p	m^3	-




Figure 6-13 Flow rate during draw down in KA3542G02:2. No flowmeter readings are available.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

- 0 – 0.6 minutes Well Bore Storage (WBS)
- 0.6 – 12 minutes Transition period
- 12 – 18 minutes Radial flow
- 18 – minutes Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 25.60-27.20 m in KA3542G02 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:7a
Borehole ID:	KA3542G02	Test start:	2005-12-01 07:00
Test section (m):	25.60-27.20	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period		Recovery period	
	Indata		Indata	
	p ₀ (kPa)	2042.26		
	p _i (kPa)			
	p _p (kPa)	1079.37	p _F (kPa)	1940.40
	Q _p (m ³ /s)	9.17 · 10 ⁻⁸		
	t _p (min)	180	t _F (min)	120
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results		Results	
	Q/s (m ² /s)	9.5 · 10 ⁻¹⁰	Flow regime:	Radial
	T _{Moye} (m ² /s)	6.1 · 10 ⁻¹⁰	dt _{e1} (min)	12
	Flow regime:		dt _{e2} (min)	18
	dt ₁ (min)		T (m ² /s)	4.9 · 10 ⁻¹⁰
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-1.2
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	12	C _D (-)	
	dt ₂ (min)	18	ξ (-)	-1.2
	T _T (m ² /s)	4.9 · 10 ⁻¹⁰		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A successful test.				

6.1.14 KA3542G02:2 , test No 6:7b

General test data for the pressure build-up test in the interval 25.60-27.20 m of borehole KA3542G02 are presented in Table 6-14.

Table 6-14 General test data for the pressure build-up test in section 25.60-27.20 m of borehole KA3542G02

General test data			
Borehole section	KA3542G02:2		
Test No	6:7b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	25.60
Test section- seclow	Seclow	m	27.20
Test section length	L_w	m	1.60
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051202 06:30:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051202 07:30:00
Stop of flow period		yymmdd hh:mm:ss	20051202 10:30:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051202 12:30:00
Total flow time	t_p	min	180
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	2041.77	
Absolute pressure in test section before stop of flow	p_p	kPa	104.94	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1979.30	
Maximal pressure change during flow period	dp_p	kPa	1936.83	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.87 \cdot 10^{-7}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$2.24 \cdot 10^{-7}$
Total volume discharged during flow period	V_p	m^3	$2.42 \cdot 10^{-3}$




Figure 6-14 Flow rate during draw down in KA3542G02:2.

Comments to the test

The test is successful in regard to pressure response.

Interpreted flow regimes

0 – 1	minutes	Well Bore Storage (WBS)
1 – 18	minutes	Transition period
18 – 24	minutes	Radial flow
24 –	minutes	Transition period

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 25.60-27.20 m in KA3542G02 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:7b
Borehole ID:	KA3542G02	Test start:	2005-12-02 06:30
Test section (m):	25.60-27.20	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	2041.77		
p _i (kPa)			
p _p (kPa)	104.94	p _F (kPa)	1979.3
Q _p (m ³ /s)	1.87 · 10 ⁻⁷		
t _p (min)	180	t _F (min)	120
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	9.7 · 10 ⁻¹⁰	Flow regime:	Radial
T _{Moye} (m ² /s)	6.2 · 10 ⁻¹⁰	dt _{e1} (min)	18
Flow regime:		dt _{e2} (min)	24
dt ₁ (min)		T (m ² /s)	5.0 · 10 ⁻¹⁰
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	-1.3
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	18	C _D (-)	
dt ₂ (min)	24	ξ (-)	-1.3
T _T (m ² /s)	5.0 · 10 ⁻¹⁰		
S (-)			
K _s (m/s)			
S _s (1/m)			

Comments: A successful test.

6.1.15 KA3546G01:2 , test No 6:9

General test data for the pressure build-up test in the interval 6.75-8.30 m of borehole KA3546G01 are presented in Table 6-15.

Table 6-15 General test data for the pressure build-up test in section 6.75-8.30 m of borehole KA3546G01

General test data			
Borehole section	KA3546G01:2		
Test No	6:9		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	6.75
Test section- seclow	Seclow	m	8.30
Test section length	L_w	m	1.55
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051130 07:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051130 08:00:00
Stop of flow period		yymmdd hh:mm:ss	20051130 11:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051130 13:00:00
Total flow time	t_p	min	180
Total recovery time	t_F	min	120

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	621.33	
Absolute pressure in test section before stop of flow	p_p	kPa	105.26	
Absolute pressure in test section at stop of recovery period	p_r	kPa	594.04	
Maximal pressure change during flow period	dp_p	kPa	516.07	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$2.63 \cdot 10^{-8}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$3.61 \cdot 10^{-9}$
Total volume discharged during flow period	V_p	m^3	$3.90 \cdot 10^{-5}$




Figure 6-15 Flow rate during draw down in KA3546G01:2. The flow in this section is very low. No flowmeter readings are available.

Comments to the test

The change of shape of the pressure curve is due to the unfortunate closing of a valve upstream of flow meter.

Interpreted flow regimes

0 – 20 minutes Well Bore Storage (WBS)

20 – minutes Transition period

No radial flow regime period is established.

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 6.75-8.30 m in KA3546G01 are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet

Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:9
Borehole ID:	KA3546G01	Test start:	2005-11-30 07:00
Test section (m):	6.75-8.30	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark

Linear plot Head	Flow period		Recovery period	
	Indata		Indata	
	p ₀ (kPa)	621.33		
	p _i (kPa)			
	p _p (kPa)	105.26	p _F (kPa)	594.04
	Q _p (m ³ /s)	2.63 · 10 ⁻⁸		
	t _p (min)	180	t _F (min)	120
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2

Lin-Log plot	Results		Results	
	Q/s (m ² /s)	5.1 · 10 ⁻¹⁰	Flow regime:	-
	T _{Moye} (m ² /s)	3.3 · 10 ⁻¹⁰	dt _{e1} (min)	-
	Flow regime:		dt _{e2} (min)	-
	dt ₁ (min)		T (m ² /s)	-
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	
	C _D (-)			
	ξ (-)			

Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:		C (m ³ /Pa)	
	dt ₁ (min)		C _D (-)	
	dt ₂ (min)		ξ (-)	
	T _T (m ² /s)			
	S (-)			
	K _s (m/s)			
	S _s (1/m)			

Comments: No radial flow regime occurred during the test period. The change of shape of the pressure curve is due to the unfortunate closing of a valve upstream of flow meter.

6.1.16 KA3539G:2, test No 6:13a

General test data for the pressure build-up test in the interval 15.85-17.60 m of borehole KA3539G are presented in Table 6-16.

Table 6-16 General test data for the pressure build-up test in section 15.85-17.60 m of borehole KA3539G

General test data			
Borehole section	KA3539G:2		
Test No	6:13a		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \text{approx. } 100 \text{ m}$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	15.85
Test section- seclow	Seclow	m	17.60
Test section length	L_w	m	1.75
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051128 16:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051128 17:00:00
Stop of flow period		yymmdd hh:mm:ss	20051128 18:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051128 19:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	1699.44	
Absolute pressure in test section before stop of flow	p_p	kPa	1154.17	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1555.46	
Maximal pressure change during flow period	dp_p	kPa	545.27	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$1.16 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$1.19 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.042984




Figure 6-16 Flow rate during draw down in KA3539G:2.

Comments to the test

The test is successful in regard to pressure response. A linear channel flow period occurs during this test.

Interpreted flow regimes

- 0 – 0.05 minutes Well Bore Storage (WBS)
- 0.05 – 0.2 minutes Transition period
- 0.2 – 0.4 minutes Radial flow period
- 0.4 – 1 minutes Transition period
- 1 – 2.5 minutes Possible linear channel flow period
- 2.5 – minutes Transition period

Calculated parameters

Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters

The selected representative parameters from the test in the interval 15.85-17.60 m in KA3539G are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet				
Project:	PROTOTYPE	Test type:	PBT	
Area:	ÄSPÖ	Test no:	6:13a	
Borehole ID:	KA3539G	Test start:	2005-11-28 16:00	
Test section (m):	15.85-17.60	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson	
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark	
Linear plot Head	Flow period		Recovery period	
	Indata		Indata	
	p ₀ (kPa)	1699.44		
	p _i (kPa)			
	p _p (kPa)	1154.17	p _F (kPa)	1555.46
	Q _p (m ³ /s)	1.16 · 10 ⁻⁵		
	t _p (min)	60	t _F (min)	60
	S*		S*	1 · 10 ⁻⁶
	EC _w (mS/m)			
	Te _w (gr C)			
	Derivative fact.		Derivative fact.	0.2
Lin-Log plot	Results		Results	
	Q/s (m ² /s)	2.1 · 10 ⁻⁷	Flow regime:	Radial
	T _{Moye} (m ² /s)	1.4 · 10 ⁻⁷	dt _{e1} (min)	0.2
	Flow regime:		dt _{e2} (min)	0.4
	dt ₁ (min)		T (m ² /s)	5.5 · 10 ⁻⁷
	dt ₂ (min)		S (-)	
	T (m ² /s)		K _s (m/s)	
	S (-)		S _s (1/m)	
	K _s (m/s)		C (m ³ /Pa)	
	S _s (1/m)		C _D (-)	
	C (m ³ /Pa)		ξ (-)	-2.0
C _D (-)				
ξ (-)				
Log-Log plot incl. derivative- recovery period	Interpreted formation and well parameters.			
	Flow regime:	Radial	C (m ³ /Pa)	
	dt ₁ (min)	0.2	C _D (-)	
	dt ₂ (min)	0.4	ξ (-)	-2.0
	T _T (m ² /s)	5.5 · 10 ⁻⁷		
	S (-)			
	K _s (m/s)			
	S _s (1/m)			
Comments: A channel flow regime is established during this test.				

6.1.17 KA3539G:2, test No 6:13b

General test data for the pressure build-up test in the interval 15.85-17.60 m of borehole KA3539G are presented in Table 6-17.

Table 6-17 General test data for the pressure build-up test in section 15.85-17.60 m of borehole KA3539G

General test data			
Borehole section	KA3539G:2		
Test No	6:13b		
Field crew	A. Blom/J. Magnusson (SWECO VIAK)		
Test equipment system	HMS		
General comment	Single hole test ($dp_p = \max$)		
	Nomenclature	Unit	Value
Test section- secup	Secup	m	15.85
Test section- seclow	Seclow	m	17.60
Test section length	L_w	m	1.75
Test section diameter	$2 \cdot r_w$	mm	76
Test start (start of pressure registration)		yymmdd hh:mm:ss	20051129 13:00:00
Packer expanded		yymmdd hh:mm:ss	-
Start of flow period		yymmdd hh:mm:ss	20051129 14:00:00
Stop of flow period		yymmdd hh:mm:ss	20051129 15:00:00
Test stop (stop of pressure registration)		yymmdd hh:mm:ss	20051129 16:00:00
Total flow time	t_p	min	60
Total recovery time	t_F	min	60

Pressure data

Pressure data	Nomenclature	Unit	Value	Comment
Absolute pressure in borehole before start of flow period	p_0	kPa	1729.85	
Absolute pressure in test section before stop of flow	p_p	kPa	592.23	
Absolute pressure in test section at stop of recovery period	p_r	kPa	1421.28	
Maximal pressure change during flow period	dp_p	kPa	1137.62	

Flow data

Flow data	Nomenclature	Unit	Value
Flow rate from test section just before stop of flowing	Q_p	m^3/s	$2.16 \cdot 10^{-5}$
Mean (arithmetic) flow rate during flow period	Q_m	m^3/s	$2.56 \cdot 10^{-5}$
Total volume discharged during flow period	V_p	m^3	0.092188




Figure 6-17 Flow rate during draw down in KA3539G:2.

Comments to the test

The test is successful in regard to pressure response. A linear channel flow period during this test.

Interpreted flow regimes

- 0 – 0.05 minutes Well Bore Storage (WBS)
- 0.05 – 0.15 minutes Transition period
- 0.15 – 0.35 minutes Radial flow period
- 0.35 – 0.8 minutes Transition period
- 0.8 – 2 minutes Possible linear channel flow period
- 2 – minutes Transition period

Calculated parameters


Quantitative analysis is made for recovery phases in lin-log- and log-log diagrams according to the methods described in Section 5.4.1.

Selected representative parameters


The selected representative parameters from the test in the interval 15.85-17.60 m in KA3539G are presented in the Test Summary Sheet below. The selected parameters are derived from the recovery period.

Test Summary Sheet


Project:	PROTOTYPE	Test type:	PBT
Area:	ÄSPÖ	Test no:	6:13b
Borehole ID:	KA3539G	Test start:	2005-11-29 13:00
Test section (m):	15.85-17.60	Responsible for test performance:	SWECO VIAK AB A. Blom/J. Magnusson
Section diameter, 2·r _w (m):	0.076	Responsible for test evaluation:	SWECO VIAK AB T. Forsmark



Flow period		Recovery period	
Indata		Indata	
p ₀ (kPa)	1729.85		
p _i (kPa)			
p _p (kPa)	592.23	p _F (kPa)	1421.28
Q _p (m ³ /s)	2.20 · 10 ⁻⁵		
t _p (min)	60	t _F (min)	60
S*		S*	1 · 10 ⁻⁶
EC _w (mS/m)			
Te _w (gr C)			
Derivative fact.		Derivative fact.	0.2



Results		Results	
Q/s (m ² /s)	1.9 · 10 ⁻⁷	Flow regime:	Radial
T _{Moye} (m ² /s)	1.3 · 10 ⁻⁷	dt _{e1} (min)	0.15
Flow regime:		dt _{e2} (min)	0.35
dt ₁ (min)		T (m ² /s)	6.6 · 10 ⁻⁷
dt ₂ (min)		S (-)	
T (m ² /s)		K _s (m/s)	
S (-)		S _s (1/m)	
K _s (m/s)		C (m ³ /Pa)	
S _s (1/m)		C _D (-)	
C (m ³ /Pa)		ξ (-)	-0.8
C _D (-)			
ξ (-)			



Interpreted formation and well parameters.			
Flow regime:	Radial	C (m ³ /Pa)	
dt ₁ (min)	0.15	C _D (-)	
dt ₂ (min)	0.35	ξ (-)	-0.8
T _T (m ² /s)	6.6 · 10 ⁻⁷		
S (-)			
K _s (m/s)			
S _s (1/m)			
Comments: A channel flow regime is established during this test.			

6.2 Deformation measurements

Deformation measurements started 2003-05-06. Evaluation of the deformations will be made in a separate report.

References

- Alm P, Forsmark T, Rhen I, 2005.** Äspö HRL – Prototype repository – Installations for measurements of flow into tunnels, water pressure in rock and hydro mechanical responses in boreholes during operation phase. SKB IPR-05-04.
- Blomquist T, Gustafson G, Maripuu P, 1985.** Groundwater in rock. Geohydrological investigation methods for installations in rock. Document D17:1985, Swedish Council for Building Research.
- Forsmark T, Forsman I, Rhen I, 2004.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 1 – Interference tests. SKB IPR-04-16.
- Forsmark T, Rhen I, 2004a.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 1 – Single hole tests. SKB IPR-04-17.
- Forsmark T, Rhen I, 2004b.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 2 – Single hole tests. SKB IPR-04-18.
- Forsmark T, Rhen I, 2004c.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 3 – Single hole tests. SKB IPR-04-19.
- Forsmark T, Rhen I, 2005a.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 4 – Single hole tests. SKB IPR-05-02.
- Forsmark T, Rhen I, 2005b.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 5 – Interference tests. SKB IPR-05-18.
- Forsmark T, Rhen I, 2005c.** Äspö HRL - Prototype repository – Hydraulic tests and displacement measurements during operation phase. Test campaign 5 – Single hole tests. SKB IPR-05-17.
- Horne R N, 1995.** Modern Well Test Analysis. A computer-Aided Approach. 2nd Edition. Petroway Inc, Palo Alto.
- Spane F A, Wurstner S K, 1993.** DERIV: A computer program for calculating pressure derivatives for use in hydraulic tests. Groundwater Vol 31, No. 5, pp 814 – 822.

