

**P-06-164**

## **Oskarshamn site investigation**

### **Difference flow logging of borehole KLX09**

#### **Subarea Laxemar**

Juha Väisäsvaara, Petri Heikkinen,  
Stefan Kristiansson, Jari Pöllänen  
PRG-Tec Oy

September 2006

**Svensk Kärnbränslehantering AB**

Swedish Nuclear Fuel  
and Waste Management Co  
Box 5864

SE-102 40 Stockholm Sweden

Tel 08-459 84 00

+46 8 459 84 00

Fax 08-661 57 19

+46 8 661 57 19



## **Oskarshamn site investigation**

### **Difference flow logging of borehole KLX09**

#### **Subarea Laxemar**

Juha Väisäsvaara, Petri Heikkinen,  
Stefan Kristiansson, Jari Pöllänen  
PRG-Tec Oy

September 2006

*Keywords:* Laxemar, Hydrogeology, Hydraulic tests, Difference flow measurements, Flow logging, Pumping test, Transmissivity.

This report concerns a study which was conducted for SKB. The conclusions and viewpoints presented in the report are those of the authors and do not necessarily coincide with those of the client.

A pdf version of this document can be downloaded from [www.skb.se](http://www.skb.se)

# Abstract

Difference flow logging is a swift method for the determination of the transmissivity and the hydraulic head in borehole sections and fractures/fracture zones in core drilled boreholes. This report presents the main principles of the methods as well as the results of the measurements carried out in borehole KLX09 at Oskarshamn, Sweden, in May and June 2006, using Posiva flow log. Posiva Flow Log is a multipurpose measurement instrument developed by PRG-Tec Oy for the use of Posiva Oy. The primary aim of the measurements was to determine the position and flow rate of flow yielding fractures in borehole KLX09.

The first flow logging measurements were done with a 5 m test section by moving the measurement tool in 0.5 m steps. This method was used to flow log the entire measurable part of the borehole during natural (un-pumped) as well as pumped conditions. The flow measurements were repeated at the location of detected flow anomalies using a 1 m long test section. In these selective measurements the borehole was pumped and measurement tool was moved in 0.1 m steps.

Length calibration was made based on length marks milled into the borehole wall at accurately determined positions along the borehole. The length marks were detected by caliper and single-point resistance measurements using sensors connected to the flow logging tool.

A high-resolution absolute pressure sensor was used to measure the total pressure along the borehole. These measurements were carried out together with the flow measurements.

The electric conductivity (EC) and temperature of borehole water were also measured. The EC measurements were used to study the occurrence of saline water in the borehole during natural as well as pumped conditions. The EC of fracture-specific water was also measured (1 m test section) for a selection of fractures.

The recovery of the groundwater level in the borehole was measured after the pumping of the borehole was stopped.

# Sammanfattning

Differensflödesloggning är en snabb metod för bestämning av transmissivitet och hydraulisk head i borrhålssektioner och sprickor/sprickzoner i kärnborrhål. Denna rapport presenterar huvudprinciperna för metoden och resultat av mätningar utförda i borrhål KLX09 i Oskarshamn, Sverige, i maj och juni 2006 med Posiva flödesloggningsmetod. Det primära syftet med mätningarna var att bestämma läget och flödet för vattenförande sprickor i borrhål KLX09.

Flödet till eller från en 5 m lång testsektion (som förflyttades successivt med 0,5 m) mättes i borrhål KLX09 under såväl naturliga (icke-pumpade) som pumpade förhållanden. Flödesmätningarna upprepades vid lägena för de detekterade flödesanomalierna med en 1 m lång testsektion som förflyttades successivt med 0,1 m.

Längdkalibrering gjordes baserad på längdmärkena som frästs in i borrhålsväggen vid noggrant bestämda positioner längs borrhålet. Längdmärkena detekterades med caliper-mätningar och med punktresistansmätningar med hjälp av sensorer anslutna på flödesloggningssonden.

En högupplösande absoluttryckgivare användes för att mäta det absoluta totala trycket längs borrhålet. Dessa mätningar utfördes tillsammans med flödesmätningarna.

Elektrisk konduktivitet och temperatur på borrhålsvattnet mättes också. EC-mätningarna användes för att studera förekomsten av saltvatten i borrhålet under såväl naturliga som pumpade förhållanden.

Sprickspecifikt EC mättes även vid utvalda sprickor.

Återhämtningen av grundvattennivån mättes efter att pumpningen i hålet avslutades.

# Contents

<b>1</b>	<b>Introduction</b>	7
<b>2</b>	<b>Objective and scope</b>	9
<b>3</b>	<b>Principles of measurement and interpretation</b>	11
3.1	Measurements	11
3.1	Interpretation	15
<b>4</b>	<b>Equipment specifications</b>	17
<b>5</b>	<b>Performance</b>	19
5.1	Execution of the field work	19
5.2	Nonconformities	20
<b>6</b>	<b>Results</b>	21
6.1	Length calibration	21
6.1.1	Caliper and SPR measurement	21
6.1.2	Estimated error in the location of detected fractures	22
6.2	Electric conductivity of fracture-specific water	23
6.3	Pressure measurements	24
6.4	Flow logging	24
6.4.1	General comments on results	24
6.4.2	Transmissivity and hydraulic head of borehole sections	25
6.4.3	Transmissivity and hydraulic head of fractures	26
6.4.4	Theoretical and practical limits of flow measurements and transmissivity	27
6.4.5	Transmissivity of the entire borehole	29
6.5	Groundwater level and pumping rate	30
<b>7</b>	<b>Summary</b>	31
	<b>References</b>	33
	<b>Appendix 1</b>	35
A1.1	SPR and Caliper results after length correction	35
A1.35	Length correction	69
	<b>Appendix 2</b>	71
A2.1	Electric conductivity of borehole water	71
A2.2	Temperature of borehole water	72
	<b>Appendix 3</b> Flow rate, Caliper and Single point resistance	73
	<b>Appendix 4</b>	113
A4.1	Plotted flow rates of 5 m sections	113
A4.2	Plotted transmissivity and head of 5 m sections	114
	<b>Appendix 5</b> Plotted transmissivity and head of detected fractures	115
	<b>Appendix 6</b> Basic test data	117
	<b>Appendix 7</b> Results of sequential flow logging	119
	<b>Appendix 8</b> Inferred flow anomalies from overlapping flow logging	125
	<b>Appendix 9</b> Explanations for the tables in Appendices 6–8	127
	<b>Appendix 10</b> Conductive fracture frequency	129
	<b>Appendix 11</b> Plotted conductive fracture frequency	133
	<b>Appendix 12</b> Comparison between section transmissivity and fracture transmissivity	135

<b>Appendix 13</b>	137
A13.1 Head in the borehole during flow logging	137
A13.2 Air pressure, water level in the borehole and pumping rate during flow logging	138
A13.3 Groundwater recovery after pumping	139
A13.4 Vertical flow along the borehole at 105.55 m	140
A13.5 Vertical flow along the borehole at 102.85 m	141
<b>Appendix 14</b> Fracture-specific EC results	143
<b>Appendix 15</b> Flow without pumping and with smaller pumping	145
<b>Appendix 16</b> Long time flow observations	151

# 1 Introduction

This document reports the results acquired by flow logging the borehole KLX09 at Oskarshamn, Sweden. The work was carried out in accordance with activity plan AP PS 400-05-107. The controlling documents for performing according to this activity plan are listed in Table 1-1. The list of the controlling documents excludes the assignment-specific quality plans. Both the activity plan and the method descriptions are SKB's internal controlling documents.


The difference flow logging in the core drilled borehole KLX09 at Oskarshamn was conducted between May 9 and June 7, 2006. KLX09 is 880.38 m long and its inclination is 85.29° from the horizontal plane. The borehole was drilled using a telescopic drilling technique, where the c. 0–100 m interval was percussion drilled and the remaining c. 100–880 m interval was core drilled. The first 11.95 m of the percussion drilled section was cased. The inner diameter of the casing and the percussion drilled section is approximately 200 mm. The diameter of the core drilled section is 76 mm. There is a conical steel guide at 97.33–102.00 m. There is also a perforated stainless steel tube reinforcement at 775.70–757.95 m with an inner diameter of 76–84 mm and a wrongly reamed section at 758.70–760.95 m with a diameter of 84 mm. The values given above are values on the axis parallel to the borehole. We call this the borehole length axis.

The location of KLX09 in the subarea of Laxemar in Oskarshamn is illustrated in Figure 1-1.

The field work and the subsequent data interpretation were conducted by PRG-Tec Oy as Posiva Oy's subcontractor. The Posiva Flow Log/Difference Flow method has previously been employed in Posiva's site characterisation programme in Finland as well as at the Äspö Hard Rock Laboratory at Simpevarp, Sweden.

**Table 1-1. SKB's internal controlling documents for the activities concerning this report.**

<b>Activity plan</b>	<b>Number</b>	<b>Version</b>
Difference flow logging in borehole KLX09	AP PS 400-05-107	1.0
<b>Method descriptions</b>	<b>Number</b>	<b>Version</b>
Method description for difference flow logging	SKB MD 322.010	1.0
Instruktion för rengöring av borrhålsutrustning och viss markbaserad utrustning	SKB MD 600.004	
Instruktion för längdkalibrering vid undersökningar i kärnborrhål	SKB MD 620.010	
Instruktion för analys av injektions- och enhålpumptester	SKB MD 320.004	



*Figure 1-1. Site map showing the location of borehole KLX09 situated in the sub-area of Laxemar.*



## 2 Objective and scope

The main objective of the difference flow logging in KLX09 was to identify water-conductive sections/fractures. Secondly, the measurements aim at a hydrogeological characterisation, including the prevailing water flow balance in the borehole. Based on the results of these investigations, a more detailed characterisation of flow anomalies along the borehole, e.g. an estimate of the conductive fracture frequency (CFF), may be obtained.

Besides difference flow logging, the measuring programme for borehole KLX09 also included supporting measurements, performed in order to gain a better understanding of the overall hydrogeochemical conditions. The data gathered in these measurements consisted of the single-point resistance of the borehole wall and the electric conductivity of the borehole water. Furthermore, the recovery of the groundwater level after pumping was registered and interpreted hydraulically.

A high-resolution absolute pressure sensor was used to measure the total pressure along the borehole. These measurements were carried out together with the flow measurements. The results are used in the calculation of the hydraulic head along the borehole.

Single-point resistance measurements were also combined with caliper (borehole diameter) measurements to detect depth marks milled into the borehole wall at accurately determined positions. This procedure allowed for the length calibration of all other measurements.

## 3 Principles of measurement and interpretation


### 3.1 Measurements

Unlike traditional types of borehole flowmeters, the Difference flowmeter measures the flow rate into or out of limited sections of the borehole instead of measuring the total cumulative flow rate along the borehole. The advantage of measuring the flow rate in isolated sections is a better detection of the incremental changes of flow along the borehole, which are generally very small and can easily be missed using traditional types of flowmeters.

Rubber disks at both ends of the downhole tool are used to isolate the flow rate in the test section from the flow rate in the rest of the borehole, see Figure 3-1. The flow rate along the borehole outside the isolated test section passes through the test section by means of a bypass pipe and is discharged at the upper end of the downhole tool.

The Difference flowmeter can be used in two modes, a sequential mode and an overlapping mode. In the sequential mode, the measurement increment is as long as the section length. It is used for determining the transmissivity and the hydraulic head (Öhberg, Rouhiainen 2000). In the overlapping mode, the measurement increment is shorter than the section length. It is mostly used to determine the location of hydraulically conductive fractures and to classify them with regards to their flow rates.

The Difference flowmeter measures the flow rate into or out of the test section by means of thermistors, which track both the dilution (cooling) of a thermal pulse and the transfer of a thermal pulse with moving water. In the sequential mode, both methods are used, whereas in the overlapping mode, only the thermal dilution method is used because it is faster than thermal pulse method.



**Figure 3-1.** Schematic of the downhole equipment used in the Difference flowmeter.


Besides incremental changes of flow, the downhole tool of the Difference flowmeter can also be used to measure:

- The electric conductivity (EC) of the borehole water and fracture-specific water. The electrode for the EC measurements is located on the top of the flow sensor, Figure 3-1.
- The single-point resistance (SPR) of the borehole wall (grounding resistance). The electrode of the Single point resistance tool is located in between the uppermost rubber disks, see Figure 3-1. This method is used for high-resolution depth/length determination of fractures and geological structures.
- The diameter of the borehole (caliper). The caliper tool, combined with SPR, is used for the detection of the depth/length marks milled into the borehole wall. This enables an accurate depth/length calibration of the flow measurements.
- The prevailing water pressure profile in the borehole. The pressure sensor is located inside the electronics tube and connected through a tube to the borehole water, Figure 3-2.
- Temperature of the borehole water. The temperature sensor is placed in the flow sensor, Figure 3-1.

All of the above measurements were performed in KLX09.


The principles of difference flow measurements are described in Figures 3-3 and 3-4. The flow sensor consists of three thermistors, see Figure 3-3a. The central thermistor, A, is used both as a heating element and for thermal pulse method and for registration of temperature changes in the thermal dilution method, Figures 3-3b and c. The side thermistors, B1 and B2, serve to detect the moving thermal pulse, Figure 3-3d, caused by the constant power heating in A, Figure 3-3b.

Flow rate is measured during the constant power ( $P_1$ ) heating (Figure 3-3b). If the flow rate exceeds 600 mL/h, the constant power heating is increased (to  $P_2$ ), Figure 3-4b, and the thermal dilution method is applied.




**Figure 3-2.** The absolute pressure sensor is located inside the electronics tube and connected through a tube to the borehole water.

If the flow rate during the constant power heating (Figure 3-3b) falls below 600 mL/h, the measurement continues by monitoring transient thermal dilution (Figure 3-3c) and thermal pulse response (Figure 3-3d). When applying the thermal pulse method, thermal dilution is also measured. The same heat pulse is used for both methods.



**Figure 3-3.** Flow measurement, flow rate < 600 mL/h.



**Figure 3-4.** Flow measurement, flow rate > 600 mL/h.

The flow is measured when the tool is at rest. After the tool is transferred to a new position, there is a waiting time (the duration of which can be adjusted according to the prevailing circumstances) before the heat pulse (Figure 3-3b) is applied. The waiting time after the constant power thermal pulse can also be adjusted, but is normally 10 s for thermal dilution and 300 s for the thermal pulse method. The measurement range of each method is given in Table 3-1.

The lower end limits of the thermal dilution and the thermal pulse methods in Table 3-1 are theoretical lowest measurable values. Depending on the borehole conditions these limits may not always prevail. Examples of disturbing conditions are suspended drilling debris in the borehole water, gas bubbles in the water and high flow rates (above about 30 L/min) along the borehole. If the disturbing conditions are significant, a practical measurement limit is calculated for each set of data.

**Table 3-1. Ranges of flow measurement.**

Method	Range of measurement (mL/h)
Thermal dilution P1	30–6,000
Thermal dilution P2	600–300,000
Thermal pulse	6–600

### 3.1 Interpretation

The interpretation of data is based on Thiems or Dupuits formula that describes a steady state and two dimensional radial flow into the borehole /Marsily 1986/:

$$h_s - h = Q / (T \cdot a) \quad 3-1$$

where

$h$  is the hydraulic head in the vicinity of the borehole and  $h_s$  at the radius of influence ( $R$ ),

$Q$  is the flow rate into the borehole,

$T$  is the transmissivity of the test section,

$a$  is a constant depending on the assumed flow geometry.

For cylindrical flow, the constant  $a$  is:

$$a = 2 \cdot \pi / \ln(R/r_0) \quad 3-2$$

where

$r_0$  is the radius of the well and

$R$  is the radius of influence, i.e. the zone inside which the effect of the pumping is felt.

If flow rate measurements are carried out using two levels of hydraulic heads in the borehole, i.e. natural or pump-induced hydraulic heads, then the undisturbed (natural) hydraulic head and transmissivity of the tested borehole sections can be calculated. Two equations can be written directly from Equation 3-1:

$$Q_{s0} = T_s \cdot a \cdot (h_s - h_0) \quad 3-3$$

$$Q_{s1} = T_s \cdot a \cdot (h_s - h_1) \quad 3-4$$

where

$h_0$  and  $h_1$  are the hydraulic heads in the borehole at the test level,

$Q_{s0}$  and  $Q_{s1}$  are the measured flow rates in the test section,

$T_s$  is the transmissivity of the test section and

$h_s$  is the undisturbed hydraulic head of the tested zone far from the borehole.

Since, in general, very little is known about the flow geometry, cylindrical flow without any skin zones is assumed. Cylindrical flow geometry is also justified because the borehole is at a constant head and there are no strong pressure gradients along the borehole, except at its ends.

The radial distance  $R$  to the undisturbed hydraulic head  $h_s$  is not known and must be assumed. Here a value of 500 is selected for the quotient  $R/r_0$ .

The hydraulic head and the test section transmissivity can be deduced from the two measurements:

$$h_s = (h_0 - b \cdot h_1) / (1 - b) \quad 3-5$$

$$T_s = (1/a) (Q_{s0} - Q_{s1}) / (h_1 - h_0) \quad 3-6$$

where

$$b = Q_{s0} / Q_{s1}$$

Transmissivity ( $T_f$ ) and the hydraulic head ( $h_f$ ) of individual fractures can be calculated provided that the flow rates of individual fractures are known. Similar assumptions as above have to be used (a steady state cylindrical flow regime without skin zones).

$$h_f = (h_0 - b \cdot h_1) / (1 - b) \quad 3-7$$

$$T_f = (1/a) (Q_{f0} - Q_{f1}) / (h_1 - h_0) \quad 3-8$$

where

$Q_{f0}$  and  $Q_{f1}$  are the flow rates at a fracture and

$h_f$  and  $T_f$  are the hydraulic head (far away from borehole) and the transmissivity of a fracture, respectively.

Since the actual flow geometry and the skin effects are unknown, transmissivity values should be considered only as an indication of the orders of magnitude. As the calculated hydraulic heads do not depend on geometrical properties but only on the ratio of the flows measured at different heads in the borehole, they should be less sensitive to unknown fracture geometries. A discussion of potential uncertainties in the calculation of transmissivity and the hydraulic head is provided in /Ludvigson et al. 2002/.

Transmissivity of the entire borehole can be evaluated in several ways using the data of the pumping phase and of the recovery phase. For the pumping phase the assumptions above (cylindrical and steady state flow) lead to Dupuits formula /Marsily 1986/:

$$T = \frac{Q}{s2\pi} \ln \left( \frac{R}{r_0} \right), \quad 3-9$$

where

$s$  is drawdown and

$Q$  is the pumping rate at the end of the pumping phase.

In the Moye /Moye 1967/ formula it is assumed that the steady state flow is cylindrical near the borehole (to distance  $r = L/2$ , where  $L$  is the section under test) and spherical further away:

$$T = \frac{Q}{s2\pi} \cdot \left[ 1 + \ln \left( \frac{L}{2r_0} \right) \right], \quad 3-10$$

where  $L$  is length of test section (m), in this case the water filled, uncased part of the borehole.

## 4 Equipment specifications

The Posiva Flow Log/Difference flowmeter monitors the flow of groundwater into or out from a borehole by means of a flow guide (which uses rubber disks to isolate the flow). The flow guide thereby defines the test section to be measured without altering the hydraulic head. Groundwater flowing into or out from the test section is guided to the flow sensor. The flow is measured using the thermal pulse and/or thermal dilution methods. Measured values are transferred into a computer in digital form.

Type of instrument:	Posiva Flow Log/Difference Flowmeter
Borehole diameters:	56 mm, 66 mm and 76 mm.
Length of test section:	A variable length flow guide is used.
Method of flow measurement:	Thermal pulse and/or thermal dilution.
Range and accuracy of measurement:	Table 4-1.
Additional measurements:	Temperature, Single-point resistance, Electric conductivity of water, Caliper, Water pressure
Winch:	Mount Sopris Wna 10, 0.55 kW, 220V/50Hz. Steel wire cable 1,500 m, four conductors, Gerhard-Owen cable head.
Length determination:	Based on a marked cable and a digital length counter.
Logging computer:	PC, Windows 2000
Software:	Based on MS Visual Basic
Total power consumption:	1.5–2.5 kW depending on the pumps
Calibrated:	November 2005
Calibration of cable length:	Using length marks in the borehole
Range and accuracy of sensors is presented in Table 4-1.	

**Table 4-1. Range and accuracy of sensors.**

Sensor	Range	Accuracy
Flow	6–300,000 mL/h	±10% curr.value
Temperature (middle thermistor)	0–50°C	0.1°C
Temperature difference (between outer thermistors)	–2 – +2°C	0.0001°C
Electric conductivity of water (EC)	0.02–11 S/m	±5% curr.value
Single-point resistance	5–500,000 Ω	±10% curr.value
Groundwater level sensor	0–0.1 MPa	±1% fullscale
Absolute pressure sensor	0–20 MPa	±0.01% fullscale



## 5 Performance

### 5.1 Execution of the field work

The commission was performed according to Activity Plan AP PS 400-05-107 (SKB internal controlling document) following the SKB Method Description 322.010, Version 1.0 (Method description for difference flow logging). Prior to the measurements, the downhole tools and the measurement cable were disinfected. Every clock was synchronized to the official Swedish time. The activity schedule of the borehole measurements is presented in Table 5-1. The items and activities in Table 5-1 are the same as in the Activity Plan.

Logging cables, wires, and pipe strings are exposed to stretching when lowered into a vertical or sub-vertical borehole. This will introduce a certain error in defining the position of a test tool connected to the end of a logging cable. Immediately after the completion of the drilling operations in borehole KLX09, length marks were milled into the borehole wall at certain intervals to be used for length calibration of various logging tools. By using the known positions of the length marks, logging cables etc. can be calibrated in order to obtain an accurate length correction of the testing tool.

Each length mark consists of two 20 mm wide tracks in the borehole wall. The distance between the tracks is 100 mm. The upper track defines a reference level. An inevitable condition for a successful length calibration is that all length marks, or at least the major part of them, are detectable. The Difference Flowmeter system uses caliper measurements in combination with single-point resistance measurements for this purpose. These methods also reveal parts of the borehole widened for some reason (fracture zones, breakouts etc.). The length calibration (Item 9) of KLX09 was performed before any other measurements were started. The only exception was the dummy logging (Item 8) of the borehole which is done in order to assure that the measurement tools do not get stuck in the borehole.

The caliper/SPR-measurements in the measurement schedule were followed by measurements of the electric conductivity (EC) and temperature of the borehole water (Item 10) during natural (un-pumped) conditions.

The combined overlapping/sequential flow logging (Item 12) was carried out in the borehole with a 5 m section length and in 0.5 m length increments (step length). The measurements were performed during natural (un-pumped) conditions. Every tenth flow measurement (sequential mode) had a longer measurement time than normally in the overlapping mode. This was done in order to ensure the direction of the flow (into the borehole or out of it). The telescopic part of the borehole was also flow logged (Item 11 and Extra-Measurement 02) to detect possible leaks or structural damage.

Pumping was started on May 13. After a waiting time of c. 24 hours, overlapping flow logging (Item 13) was conducted using the same section and step lengths as before.

The overlapping flow logging was then continued by re-measuring previously detected flow anomalies with a 1 m section length and a 0.1 m step length (Item 14).

The fracture-specific EC of water from some selected fractures (Item 15) was also measured.

The EC of borehole water (Item 16) was measured while the borehole was still pumped. After this, the pump was stopped and the recovery of the groundwater level was monitored (Item 17).

Some fracture locations where the flow rates had been very high and even above the measurement limit were re-measured. A 1 meter section length was used for Items 12 Extra and 14 Extra (Appendices 15.1–15.5) and a 10 meter section length for Item Extra-Measurement 01.

**Table 5-1. Flow logging and testing in KLX09. Activity schedule.**

Item	Activity	Explanation	Date
2	Mobilisation at site	Unpacking the trailer. Time synchronization.	2006-05-09
8	Dummy logging	Dummy logging.	2006-05-10
9	Length calibration of the downhole tool	SPR and SKB Caliper logging.	2006-05-10 2006-05-11
10	Borehole fluid logging	Borehole EC and temperature measurements without the lower rubber disks. No pumping.	2006-05-11
12	Sequential flow logging/ Combined	Overlapping flow logging, Section length $L_w=5$ m, Step length $dL=0.5$ m. No pumping.	2006-05-11 2006-05-12
11	Telescopic part of borehole flow logging	Logging flow rate along the borehole without the lower rubber disks. No pumping.	2006-05-13
13	Sequential flow logging (Combined)	$P_{abs}$ measurement. Overlapping flow logging, Section length $L_w=5$ m, Step length $dL=0.5$ m. Pumping (includes 1 day of waiting after the pumping was begun).	2006-05-13– 2006-05-15
14	Selective overlapping flow logging	Section length $L_w=1$ m, Step length $dL=0.1$ m. Pumping.	2006-05-15– 2006-05-19
15	Selective overlapping flow logging and fracture-EC	Section length $L_w=1$ m, Step length $dL=0.1$ m. Pumping.	2006-05-20
16	EC and temperature logging of borehole fluid	Logging without the lower rubber disks. Pumping.	2006-05-20 2006-05-21
17	Transient registration of water level recovery	Measurement of water level and absolute pressure in the borehole after the pumping was stopped.	2006-05-21– 2006-05-23
12 Extra	Sequential flow logging/ Combined	Selective overlapping flow logging, Section length $L_w=1$ m, Step length $dL=0.1$ m. No pumping.	2006-05-23
14 Extra	Selective overlapping flow logging	Section length $L_w=1$ m, Step length $dL=0.1$ m. Pumping (smaller pumping rate).	2006-05-23
Extra-Measurement 01	Sequential flow logging/ Combined	Selective overlapping flow logging, Section length $L_w=10$ m, Step length $dL=1$ m. No pumping.	2006-06-05– 2006-06-07
Extra-Measurement 02	Telescopic part of borehole flow logging	Logging flow rate along the borehole without the lower rubber disks. No pumping.	2006-06-07

## 5.2 Nonconformities

Additional flow logging measurements were performed with 10 m section length in order to check earlier results. The earlier results showed an unusual flow anomaly at approximately 755 m borehole length where water was flowing from the borehole out into the rock (negative flow) while the borehole was being pumped. These additional measurements confirmed the negative flow which indicates exceptional negative hydraulic head. The reason for this anomaly was not found. Three other measurements at high flow fractures were also performed in the same run as well as a check for flow along the borehole.

## 6 Results

### 6.1 Length calibration

#### 6.1.1 Caliper and SPR measurement

Accurate length measurements are difficult to conduct in long boreholes, i.e. the accurate position of the measurement equipment is difficult to determine. The main cause of inaccuracy is the stretching of the logging cable. The stretching depends on the tension on the cable which in turn depends, among other things, on the inclination of the borehole and the roughness (friction properties) of the borehole wall. The cable tension is higher when the borehole is measured upwards. The cables, especially new cables, may also stretch out permanently.

Length marks on the borehole wall can be used to minimise the length errors. The length marks are initially detected with the SKB caliper tool. The length scale is first corrected according to the length marks. Single-point resistance is recorded simultaneously with the caliper logging. All flow measurement sequences can then be length corrected by synchronising the SPR results (SPR is recorded during all the measurements) with the original caliper/SPR-measurement.

The procedure of the length correction was the following:

- The caliper/SPR-measurements (Item 9) were initially length corrected in relation to the known length marks, Appendix 1.35, black curve. Corrections between the length marks were obtained by linear interpolation.
- The SPR curve of Item 9 was then compared with the SPR curves of Items 12, 13, 14 and 15 to obtain relative length errors of these measurement sequences.
- All SPR curves could then be synchronized, as can be seen in Appendices 1.2–1.34.

The results of the caliper and single-point resistance measurements from all measurements in the entire borehole are presented in Appendix 1.1. The four SPR-curves are plotted together with the caliper-data. These measurements correspond to Items 9, 12, 13, 14 and 15 in Table 5-1.

The caliper tool outputs a low voltage value when the borehole diameter is below 77 mm and a high value when the borehole diameter is over 77 mm.

Zoomed results of the caliper and SPR data are presented in Appendices 1.2–1.34. The detected length marks are listed in Table 6-1. The marks at 550 m, 600 m and 650 m were not detected with the caliper tool. In other locations the marks were detected at least partly. They can also be seen in the SPR results. However, the SPR-anomaly is complicated due to the four rubber disks used at the upper end of the section, two at each side of the resistance electrode. When only one length mark was detected, the decision whether it was the lower or the upper mark was made based on the shape of the SPR-anomaly. The SPR-anomaly at the length marks has a distinctive shape, which can usually be recognized. Appendix 1 also illustrates many natural anomalies (for example Appendices 1.3, 1.4 and 1.5) which can help in synchronizing the results.

The aim of the plots in Appendices 1.2–1.34 is to verify the accuracy of the length correction. The curves in these plots are the length corrected results.

The magnitude of the length correction along the borehole is presented in Appendix 1.35. The negative values of the error represent the situation where the logging cable has been extended, i.e. the cable is longer than the nominal length marked on it.

**Table 6-1. Detected length marks.**

Length marks given by SKB (m)	Length marks detected by caliper	Length marks detected by SPR
110	both	yes
150	both	yes
200	only lower	yes
250	both	yes
300	both	yes
350	both	yes
400	both	yes
450	both	yes
500	both	yes
550	none	yes
600	none	yes
650	none	yes
700	both	yes
750	both	yes
800	both	yes
850	both	yes

### 6.1.2 Estimated error in the location of detected fractures

In spite of the length correction described above, there can still be length errors due to the following reasons:

1. The point interval in the overlapping mode flow measurements is 0.1 m. This could cause an error of  $\pm 0.05$  m.
2. The length of the test section is not exact. The specified section length denotes the distance between the nearest upper and lower rubber disks. Effectively, the section length can be larger. At the upper end of the test section there are four rubber disks. The distance between them is 5 cm. This will cause rounded flow anomalies: a flow may be detected already when a fracture is situated between the upper rubber disks. These phenomena, can cause an error of  $\pm 0.05$  m when the short step length (0.1 m) is used.
3. There could sometimes be a need for the corrections between the length marks to be other than linear. This could cause an error of  $\pm 0.1$  m in the caliper/SPR-measurement (Item 9).
4. SPR curves may be imperfectly synchronized. This could cause an error of  $\pm 0.1$  m.

In the worst case, the errors from sources 1, 2, 3 and 4 are summed and the total estimated error between the length marks would be  $\pm 0.3$  m.

The situation is slightly better near the length marks. In the worst case, the errors from sources 1, 2 and 4 are summed and the total estimated error would be  $\pm 0.2$  m.

Knowing the location accurately is important when different measurements are compared, for instance flow logging and borehole TV. In a case like that the situation may not be as severe as in the worst case above, since some of the length errors are systematic and the error is nearly constant in fractures that are close to each other. However, the error caused by source 1 is random.

Fractures nearly parallel with the borehole may also be problematic. Fracture location may be difficult to define accurately in such cases.

The errors given above are estimations and are based on the experiences and observations from earlier measurements.

## 6.2 Electric conductivity of fracture-specific water

The flow direction is always from the fractures into the borehole if the borehole is pumped with a sufficiently large drawdown. This enables the determination of electric conductivity from fracture-specific water. Both electric conductivity and temperature of flowing water from the fractures were measured.

The fractures detected in the flow measurements can be measured for electric conductivity later. These fracture-specific measurements begin near the fracture which has been chosen for inspection. The tool is first moved stepwise closer to the fracture until the detected flow is larger than a predetermined limit. At this point the tool is stopped. The measurement is continued at the given position allowing the fracture-specific water to enter the section. The waiting time for the EC measurement can be automatically calculated from the measured flow rate. The aim is to flush the water volume within the test section sufficiently to gain accurate results. The measuring computer is programmed so that the water in the test section will be replaced approximately three times over. After the set of stationary measurements the tool is once again moved stepwise past the fracture for a short distance. The electric conductivity is also measured between the steps before and after the set of stationary measurements.

The test section in these measurements was 1 m long and the tool was moved in 0.1 m steps. The water volume in a one meter long test section is 3.6 L. The results are presented in Appendix 14. The blue symbol represents the conductivity value when the tool was moved and the red symbol is used for the set of stationary measurements.

Borehole lengths at the upper and lower ends of the section, fracture locations as well as the final EC values are listed in Table 6-2.

The electric conductivity of the entire borehole in pumped and un-pumped conditions is illustrated in Appendix 2.1 along with the fracture specific results. When the borehole was pumped the EC curves differed significantly from the EC curve of the un-pumped situation. In this borehole the flows below 560 m were negative even during pumping. This is an uncommon situation. Therefore the EC-result at 755.9 m doesn't represent original fracture-specific water at the same depth. The EC-results are nearly the same at 542.6 m and 755.9 m. It seems that the fracture at 542.6 m brings saline water into the borehole. This water flows downwards and exits the borehole at 755.9 m.

**Table 6-2. Fracture-specific EC.**

Upper end of section (m)	Lower end of section (m)	Fractures measured (m)	EC (S/m) at 25°C
755.36	756.36	755.90	0.223
541.94	542.94	542.60	0.218
494.30	495.30	494.80	0.073
302.82	303.82	303.50	0.086
192.12	193.12	192.90	0.081

## 6.3 Pressure measurements

Absolute pressure was registered with the flow measurements in Items 10–17, 12 Extra, 14 Extra, Extra-Measurement 01 and Extra-measurement 02. The pressure sensor measures the sum of hydrostatic pressure in the borehole and air pressure. Air pressure was also registered separately, Appendix 13.2. The hydraulic head along the borehole is determined in the following way. First, the monitored air pressure at the site is subtracted from the measured absolute pressure by the pressure sensor. The hydraulic head ( $h$ ) at a certain elevation ( $z$ ) is then calculated according to the following expression /Freeze et al. 1979/:

$$h = (p_{\text{abs}} - p_{\text{b}}) / (\rho_{\text{fw}} g) + z \quad (6-1)$$

where

$h$  is the hydraulic head (masl) according to the RHB 70 reference system,

$p_{\text{abs}}$  is absolute pressure (Pa),

$p_{\text{b}}$  is barometric (air) pressure (Pa),

$\rho_{\text{fw}}$  is unit density 1,000 kg/m<sup>3</sup>

$g$  is standard gravity 9.80665 m/s<sup>2</sup> and

$z$  is the elevation of measurement (masl) according to the RHB 70 reference system.

A tool-specific offset of 2.46 kPa is subtracted from absolute pressure raw data.

Exact  $z$ -coordinates are important in head calculations, 10 cm error in  $z$ -coordinate means 10 cm error in the head. The calculated head values are presented in a graph in Appendix 13.1.

## 6.4 Flow logging

### 6.4.1 General comments on results

The flow results are presented together with the single-point resistance results (right hand side) and the caliper plot (in the middle), see Appendices 3.1–3.39. Single-point resistance is usually lower in value on a fracture where a flow is detected. There are also many other resistance anomalies from other fractures and geological features. The electrode of the Single-point resistance tool is located in between the upper rubber disks. Thus, the locations of the resistance anomalies of leaky fractures coincide with the lower end of the flow anomalies in the data plot.

The flow logging was first performed with a 5 m section length and with 0.5 m length increments, see Appendices 3.1–3.39. The method (overlapping flow logging) gives the length and the thickness of conductive zones with a length resolution of 0.5 m. To obtain quick results, only the thermal dilution method is used for flow determination. The three first measurements from the 5 m section data had to be removed since the tool was lying at the bottom of the borehole. This had to be done for the measurements in natural conditions as well as for the measurements in pumped conditions.

Under natural conditions, the flow direction may be into the borehole or out from it. For small flow rates (< 100 ml/h) the flow direction can not be seen in the normal overlapping mode (thermal dilution method). Therefore the waiting time was longer for the thermal pulse method to determine the flow direction at every 5 meter interval. The thermal pulse method was only used to detect the flow direction and not the flow rate, which would take a longer time to measure. The longer flow direction measurement has to be done in un-pumped conditions.

The test section length determines the width of a flow anomaly of a single fracture in the plots. If the distance between flow yielding fractures is less than the section length, the anomalies will overlap, resulting in a stepwise flow data plot. Overlapping flow logging was therefore repeated in the vicinity of identified flow anomalies using a 1 m long test section and 0.1 m length

increments, see Appendices 3.1–3.39 (violet curve). It is worth noticing that the one meter test section did not cover the entire fracture at approximately 755 m. The 5 m section data should be used for interpretation.

Detected fractures are shown on the caliper scale with their positions (borehole length). They are interpreted on the basis of the flow curves and therefore represent flowing fractures. A long line represents the location of a leaky fracture; short line denotes that the existence of a leaky fracture is uncertain. A short line is used if the flow rate is less than 30 mL/h or the flow anomalies are overlapping or unclear because of noise.

The tables in Appendices 10.1–10.4 were used to calculate conductive fracture frequency (CFF). The number of conductive fractures was counted on the same 5 meter sections as in Appendix 7 before. The number of conductive fractures was sorted in six columns depending on their flow rate. The total conductive fracture frequency is presented graphically, see Appendix 11.

The flow along the borehole was also logged for the telescopic part of the borehole (Item 11, Extra-Measurement 02). This was done by removing the lower rubber disks and guiding all flow along the borehole through the flow sensor. The location for the measurement was at the intact bedrock just below the telescopic part of the borehole at 102.85 m and within the casing at 101.55 m. The results are presented in Appendices 13.4 and 13.5. The aim of this test was to check possible flow from or to the widened part of the borehole which could not be measured otherwise. The balance of flows without pumping was not good in KLX09, i.e. the sum of detected flows was not zero without pumping. The relatively small flow rate from the widened part could not explain this unbalance.

#### **6.4.2 Transmissivity and hydraulic head of borehole sections**

The entire borehole between 95.77 m and 871.45 m was flow logged with a 5 m section length and with 0.5 m length increments. All the flow logging results presented in this report are derived from measurements with the thermal dilution method.

The results of the measurements with a 5 m section length are presented in tables, see Appendices 7.1–7.6. Only the results with 5 m length increments are used. All borehole sections are shown in Appendices 3.1–3.39. Secup and Seclow in Appendices 7.1–7.6 are the distance along the borehole from the reference level (top of the casing tube) to the upper end of the test section and to the lower end of the test section, respectively. The Secup and Seclow values for the two sequences (measurements at un-pumped and pumped conditions) are not exactly identical, due to a minor difference in the cable stretching. The difference between these two sequences was small. Secup and seclow given in Appendices 7.1–7.6 are calculated as the average of these two values.

Pressure was measured and calculated as described in Chapter 6.3.  $h_{0FW}$  and  $h_{1FW}$  in Appendices 7.1–7.6 represent heads determined without and with pumping, respectively. The head in the borehole and calculated heads of borehole sections are given on the RHB 70 scale.

The flow results in Appendices 7.1–7.6 ( $Q_0$  and  $Q_1$ ), representing the flow rates derived from measurements during un-pumped and pumped conditions, are presented side by side to make comparison easier. Flow rates are positive if the flow direction is from the bedrock into the borehole and vice versa. With the borehole at rest, 17 sections were detected as flow yielding, 9 of which had a flow direction from the borehole into the bedrock (negative flow). During pumping, 31 out of 33 detected flows were directed towards the borehole, i.e. two flows were negative even during pumping at the depths of 746.21 and 751.21 m.

The flow data is presented as a plot, see Appendix 4.1. The left hand side of each diagram represents flow from the borehole into the bedrock for the respective test sections, whereas the right hand side represents the opposite. If the measured flow was zero (below the measurement limit), it is not visible in the logarithmic scale of the appendices.

The lower and upper measurement limits of the flow are also presented in the plots (Appendix 4.1) and in the tables (Appendix 7). There are theoretical and practical lower limits of flow see Chapter 6.4.4.

The hydraulic head and transmissivity ( $T_D$ ) of borehole sections can be calculated from flow data using the method described in Chapter 3. The hydraulic head of sections is presented in the plots if none of the two flow values at the same length is equal to zero. Transmissivity is presented if none or just one of the flows is equal to zero, see Appendix 4.2. The measurement limits of transmissivity are also shown in Appendix 4.2 and in Appendix 7. All the measurement limit values of transmissivity are based on the actual pressure difference in the borehole ( $h_{OFW}$  and  $h_{IFW}$  in Appendix 7).

The sum of detected flows without pumping ( $Q_0$ ) was  $-4.26 \times 10^{-5} \text{ m}^3/\text{s}$  ( $-153,400 \text{ mL/h}$ ). This sum should normally be zero if all the flows in the borehole are correctly measured, the borehole is not pumped, the water level is constant, the salinity distribution in the borehole is stabilized and the fractures are at steady state pressure. In this case the sum is not close to zero. The large negative flow anomaly with a centre at approximately 755 m (Appendix 16.3) has a significant effect on the flow balance of the entire borehole.

It is not fully clear why the sum of flows was not close to zero. One explanation could be the high transmissivity of the entire borehole. In such case small change in groundwater level or other pressure conditions can cause large changes in flow rate. The fracture at 303.5 m was measured several times in un-pumped conditions. The first measurement on 2006-05-12 with a 5 m section results a clear and square anomaly and positive flow of 2,000 mL/h (Appendix 3.11). The flow was negative ( $-27,000 \text{ mL/h}$ ) in the second measurement on 2006-05-23 without pumping (Appendix 15.4). In the third measurement the flow was negative around  $-4,000 \text{ mL/h}$  and there were strong and long lasting transients after (relatively fast) lifting of the tool (Appendix 16.1). These observations indicate the difficulty of keeping static flow conditions at highly transmissive fractures.

### 6.4.3 Transmissivity and hydraulic head of fractures

An attempt was made to evaluate the magnitude of fracture-specific flow rates. The results for a 1 m section length and 0.1 m length increments were used for this purpose. The first step in this procedure is to identify the locations of individual flowing fractures and then evaluate their flow rates.

In cases where the fracture distance is less than one meter, it may be difficult to evaluate the flow rate. There are such cases for instance in Appendix 3.9. In these cases a stepwise increase or decrease in the flow data plot equals the flow rate of a specific fracture (filled triangles in the Appendices).

Since the 1 m section was not used in un-pumped conditions, the results for the 5 m section were used instead. The fracture locations are important when evaluating the flow rate in un-pumped conditions. The fracture locations are known on the basis of the 1 m section measurements. It is not a problem to evaluate the flow rate in un-pumped conditions when the distance between flowing fractures is more than 5 m. The evaluation may be problematic when the distance between fractures is less than 5 m. In this case an increase or decrease of a flow anomaly at the fracture location determines the flow rate. However, this evaluation is used conservatively, it is only used in the clearest of cases and no flow value is usually evaluated in un-pumped conditions at densely fractured parts of bedrock. If the flow for a specific fracture can not be determined conclusively, the flow rate is marked with “-” and value 0 is used in the transmissivity calculation, see Appendix 8. The flow direction is evaluated as well. The results of the evaluation are plotted in Appendix 3, blue filled triangle.



Some fracture-specific results were classified to be “uncertain”. The basis for the classification was in part of the cases a minor flow rate ( $< 30$  mL/h), but in most of the cases unclear fracture anomalies. The anomalies were unclear because the distance between them was less than one meter or the nature of an anomaly was unclear because of noise.

The total amount of detected flowing fractures was 68, but only 18 could be defined without pumping. These 18 fractures could be used for head estimation and all 68 were used for transmissivity estimations, Appendix 8. The transmissivity and hydraulic head of fractures are plotted in Appendix 5. Four detected fractures had negative flow even during pumping. These were at the depths of 711.4 m, 720.2 m, 748.7 m and 755.9 m.

Temperature profile supports the unexpected observation of negative flows, see Appendix 2.2. Below the depth of 760 m the temperature profiles are identical without pumping and during pumping. This indicates that there are no notable flows below 760 m. There is a change in temperature profiles without pumping and during pumping between the depths of 560 m and 760 m, indicating a change in flow along the borehole in this depth range. Without pumping colder water flows down to the fractures mentioned above. When the borehole is pumped the flowing water is still cooling down the borehole between 560 m and 760 m, but not as much as without pumping because the flow down the borehole is now smaller. This kind of temperature behaviour would be difficult to explain by flow direction upward (positive flow at the mentioned fractures).

Some of the fractures were re-measured both in natural and pumped conditions (see Appendices 8 and 15.1–15.2) since the measurement limit was exceeded in the original measurements. The pumping rate was reduced in order to stay within the measurement range.

The borehole has been stabilized by a perforated stainless steel tube at the interval from 755.70 m to 757.95 m. There was also a large flow anomaly at approximately this location. The 1 m tool did not cover the entire anomaly. The 5 m section and the extra 10 m section (Appendix 16.3) measurements can also be used for flow interpretation.

Fracture-specific transmissivities were compared with the transmissivities of borehole sections in Appendix 12. All fracture-specific transmissivities within each 5 m interval were first summed together to make them comparable with the measurements with a 5 m section length. The results are, in most cases, consistent between the two types of measurements. Fracture-specific transmissivities are larger at high flow fractures at the depths of at 112.1 m, 147.1 m, 148.6 m, 302.98 m and 494.3 m. These fracture-specific values are obtained from the separate measurements using smaller pumping rate and they are more representative than the corresponding results of 5 m sections.

#### **6.4.4 Theoretical and practical limits of flow measurements and transmissivity**

The theoretical minimum of the measurable flow rate in the overlapping method (thermal dilution method only) is about 30 mL/h. The thermal pulse method can also be used when the borehole is not pumped. Its theoretical lower limit is about 6 mL/h. In these boreholes the thermal pulse method was only used to detect the flow direction not the flow rate. The upper limit of the flow measurements is 300,000 mL/h. These limits are determined on the basis of flow calibration. It is assumed that a flow can be reliably detected between the upper and lower theoretical limits in favorable borehole conditions.

In practice, the minimum measurable flow rate may be much higher. Borehole conditions may be such that the base level of flow (noise level) is higher than assumed. The noise level can be evaluated on such intervals of the borehole where there are no flowing fractures or other structures. The noise level may vary along the borehole.

There are several known reasons for increased noise levels:

- 1) Rough borehole wall
- 2) Solid particles in the water such as clay or drilling mud
- 3) Gas bubbles in the water
- 4) High flow rate along the borehole

A rough borehole wall always causes a high noise level, not only in the flow results but also in the single-point resistance results. The flow curve and the SPR curves are typically spiky when the borehole wall is rough.

Drilling mud in the borehole water usually increases the noise level. Typically this kind of noise is seen both in un-pumped and pumped conditions.

Pumping causes the pressure drop in the borehole water and in the water in the fractures near the borehole. This may lead to the release of dissolved gas and increase the amount of gas bubbles in the water. Some fractures may produce more gas than others. Sometimes the noise level is larger just above certain fractures (when the borehole is measured upwards). The reason for this is assumed to be gas bubbles. The bubbles may cause a decrease of the average density of water and therefore also decrease the measured head in the borehole.

The effect of a high flow rate along the borehole can often be seen above high flowing fractures. Any minor leak at the lower rubber disks is directly measured as increased noise.

A high noise level in a flow masks the “real” flow if it is smaller than the noise. Real flows are totally invisible if they are about ten times smaller than the noise and they are registered correctly if they are about ten times larger than the noise. Based on experience, real flows between 1/10 times the noise level and 10 times the noise level are summed with the noise. Therefore the noise level could be subtracted from the measured flow to get the real flow. This correction has not been done so far because it is unclear whether it is applicable in each case.

The practical minimum of the measurable flow rate is evaluated and presented in Appendices 3.1–3.39 using a grey dashed line (Lower limit of flow rate). The practical minimum level of the measurable flow is always evaluated in pumped conditions since this measurement is the most important for transmissivity calculations. The limit is an approximation. It is evaluated to obtain a limit below which there may be fractures or structures that remain undetected.

The noise level in KLX09 was between 30 and 100 ml/h. In many places anomalies below the theoretical limit of the thermal dilution method (30 mL/h) could be detected. The noise line (grey dashed line) was never drawn below 30 mL/h, because the values of flow rate measured below 30 mL/h are uncertain.

In some boreholes the upper limit of flow measurement (300,000 mL/h) may be exceeded. Such fractures or structures hardly remain undetected (as the fractures below the lower limit). High flow fractures can be measured separately at a smaller drawdown.

The practical minimum of measurable flow rate is also presented in Appendix 7 (Q-lower limit P). It is taken from the plotted curve in Appendix 3 (Lower limit of flow rate). The practical minimum of measurable transmissivity can be evaluated using Q-lower limit and the actual head difference at each measurement location, see Appendix 7 ( $T_D\text{-meas}_{LP}$ ). The theoretical minimum measurable transmissivity ( $T_D\text{-meas}_{LT}$ ) is evaluated using a Q value of 30 mL/h (minimum theoretical flow rate with the thermal dilution method). The upper measurement limit of transmissivity can be evaluated using the maximum flow rate (300,000 mL/h) at the actual head difference as above, see Appendix 7 ( $T_D\text{-meas}_{U}$ ).

All three flow limits are also plotted with measured flow rates, see Appendix 4.1. Theoretical minimum and maximum values are 30 mL/h and 300,000 mL/h, respectively.

The three transmissivity limits are also presented graphically, see Appendix 4.2.

Similar flow and transmissivity limits are not given for the fracture-specific results, Appendices 5 and 8. Approximately the same limits would also be valid for these results. The limits for fracture-specific results are more difficult to define. For instance, it may be difficult to see a small flow rate near (< 1 m) a high flowing fracture. The situation is similar for the upper flow limit. If there are several high flowing fractures less than one meter apart from each other, the upper flow limit depends on the sum of flows which must be below 300,000 mL/h.

In KLX09 the measurable flow range was exceeded at 112.1 m, 147.1 m, 148.6 m, 302.98 m and 494.3 m, see Appendix 4.1. These locations were re-measured using a 1 m section length (Appendices 15.1–15.5). The re-measurements were done in both un-pumped and pumped conditions (the pumping rate was smaller than previously).

The flow rates at high flow areas at 300.22 m, 301.22 m, 491.27 m and 752.51 m were also measured with a 10 m section, see Appendices 16.1–16.3. The main aim of this test was to check the unexpectedly high negative flow at 755 m with a larger section length so that the widened part of the borehole is entirely within the section. The result was about the same as previously with a 5 m section. The flow at approximately 755 m was easily the largest flow in the entire borehole and close to half as large as the sum of the absolute values of every 5 m section flow in the borehole (in natural conditions). Appendix 16.3 also shows that the flow value was stable during the measurement.

#### 6.4.5 Transmissivity of the entire borehole

The pumping phase for the logging is utilized to evaluate the transmissivity of the entire borehole. This is done with the two steady state methods, described in Chapter 3.

##### *Steady state analysis*

For Dupuit's formula (Equation 3-9)  $R/r_0$  is chosen to be 500,  $Q$  was 66.7 L/min and  $s$  (drawdown) was 4.89 m. Transmissivity calculated with Dupuit's formula is  $2.3 \times 10^{-04} \text{ m}^2/\text{s}$ .

In Moye's formula (Equation 3-10) the length of the test section  $L$  is 863.76 m (880.38 m – 11.95 m – 4.67 m) and the borehole diameter  $2r_0$  is 0.076 m. Transmissivity calculated with Moye's formula is  $3.7 \times 10^{-04} \text{ m}^2/\text{s}$ .

**Table 6-2. Transmissivity of the entire borehole KLX09.**

Method	Transmissivity ( $\text{m}^2/\text{s}$ )
Dupuit	$2.3 \times 10^{-04}$
Moye	$3.7 \times 10^{-04}$

## **6.5 Groundwater level and pumping rate**

The groundwater level and the pumping rate are illustrated in Appendix 13.2. The borehole was pumped between May 13 and May 21 with a drawdown of approximately 4.9 m. The pump intake was at level 8.3 (masl, RHB 70). The groundwater level sensor (pressure transducer) was 7.97 (masl, RHB 70).

The groundwater recovery was measured after the pumping period, May 21–23, Appendix 13.3. The measurement was done with two sensors, the water level sensor (pressure sensor) and the absolute pressure sensor located in the flowmeter tool at the borehole length of 20.13 m.

## 7 Summary

In this study, the Posiva Flow Log/Difference Flow method has been used to determine the location and flow rate of flowing fractures or structures in borehole KLX09 at Oskarshamn. Measurements were carried out both when the borehole was at rest and during pumping. A 5 m section length with 0.5 m length increments was used firstly. The detected flow anomalies were re-measured with a 1 m section length using a 0.1 m measurement interval.

Length calibration was made using the length marks on the borehole wall. The length marks were detected by caliper and in single-point resistance logging. The latter method was also performed simultaneously with the flow measurements, and thus all flow results could be length calibrated by synchronizing the single-point resistance logs.

The distribution of saline water along the borehole was logged by electric conductivity and temperature measurements of the borehole water. In addition, electric conductivity was measured in selected flowing fractures.

The water level in the borehole during pumping and its recovery after the pump was turned off were also measured.

The total amount of detected flowing fractures in KLX09 was 68. Transmissivity and hydraulic head were calculated for borehole sections and fractures. The highest transmissivity was detected in a fracture at the length of 494.8 m. High-transmissive fractures were also found at 112.6 m, 147.9 m, 148.9 m, 303.5 m. The lowest identified flowing fracture was at the approximate length of 755 m.

Hydraulic head was exceptionally low in the fractures between 700 m and 760 m.

## References

**Heikkonen J, Heikkinen E, Mäntynen M, 2001.** Mathematical modelling of temperature adjustment algorithm for groundwater electrical conductivity on basis of synthetic water sample analysis. Helsinki, Posiva Oy. Working report 2002-10 (in Finnish).

**Ludvigson J-E, Hansson K, Rouhiainen P, 2002.** Methodology study of Posiva difference flowmeter in borehole KLX02 at Laxemar. SKB R-01-52. Svensk Kärnbränslehantering AB.

**Marsily G, 1986.** Quantitative Hydrology, Groundwater Hydrology for Engineers. Academic Press, Inc., London

**Freeze R A, Cherry J A, 1979.** Groundwater. Prentice Hall, Inc., United States of America.


**Öhberg A, Rouhiainen P, 2000.** Posiva groundwater flow measuring techniques. Helsinki, Posiva Oy. Report POSIVA 2000-12.

A1.1 SPR and Caliper results after length correction

Appendix 1.1


Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 0.5 m), 2006-05-20



Laxemar, borehole KLX09  
SPR and Caliper results after length correction


- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20






Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20



Laxemar, borehole KLX09  
 SPR and Caliper results after length correction


- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20






Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20



Laxemar, borehole KLX09  
 SPR and Caliper results after length correction


- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20






Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20



Laxemar, borehole KLX09  
 SPR and Caliper results after length correction


- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20






Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20




Laxemar, borehole KLX09  
SPR and Caliper results after length correction

- SPR+Caliper, 2005-07-27 - 2005-07-28
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20



Laxemar, borehole KLX09  
 SPR and Caliper results after length correction

- SPR+Caliper, 2006-05-10 - 2006-05-11
- SPR without pumping (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (L = 1 m), 2006-05-20






### A1.35 Length correction

Laxemar, borehole KLX09  
Length correction


- SPR+Caliper (downwards), 2006-05-10 - 2006-05-11
- SPR without pumping (upwards) (L = 5 m), 2006-05-11 - 2006-05-13
- SPR with pumping (upwards) (L = 5 m), 2006-05-14 - 2006-05-15
- SPR with pumping (upwards) (L = 1 m), 2006-05-15 - 2006-05-19
- SPR with pumping during fracture-EC (upwards) (L = 1 m), 2006-05-20



A2.1 Electric conductivity of borehole water

Laxemar, borehole KLX09  
Electric conductivity of borehole water

- Measured without lower rubber disks:
  - ▽ Measured without pumping (downwards), 2006-05-11
  - △ Measured without pumping (upwards), 2006-05-11
  - ▽ Measured with pumping (downwards), 2006-05-20
  - △ Measured with pumping (upwards), 2006-05-21
- Measured with lower rubber disks:
  - + Time series of fracture specific water, 2006-05-20
  - ⊕ Last in time series, fracture specific water, 2006-05-20



## A2.2 Temperature of borehole water


Laxemar, borehole KLX09  
Temperature of borehole water

Measured without lower rubber disks:

- ▽ Measured without pumping (downwards), 2006-05-11
- △ Measured without pumping (upwards), 2006-05-11
- ▽ Measured with pumping (downwards), 2006-05-20
- △ Measured with pumping (upwards), 2006-05-21

Measured with lower rubber disks:

- + Time series of fracture specific water, 2006-05-20
- ⊕ Last in time series, fracture specific water, 2006-05-20




Flow rate, Caliper and Single point resistance

Appendix 3.1


Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate



Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance


- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate






Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- ▲ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▼ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- ▲ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▼ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate



Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance


- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate






Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate



Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance


- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate






Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate



Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance


- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate






Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




### Laxemar, borehole KLX09 Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate



Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance


- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate






Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




Laxemar, borehole KLX09  
Flow rate, caliper and single point resistance

- △ Without pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ Without pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- △ With pumping (L=5 m, dL=5 m), (Flow direction = into the hole)
- ▽ With pumping (L=5 m, dL=5 m), (Flow direction = into the bedrock)
- Without pumping (L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (L=1 m, dL=0.1 m), 2006-05-15 - 2006-05-19
- Lower limit of flow rate




A4.1 Plotted flow rates of 5 m sections

Laxemar, borehole KLX09  
Flow rates of 5 m sections



## A4.2 Plotted transmissivity and head of 5 m sections

Laxemar, borehole KLX09  
 Transmissivity and head of 5 m sections




Plotted transmissivity and head of detected fractures

Laxemar, borehole KLX09

Transmissivity and head of detected fractures

- + Fracture head
- + Transmissivity of fracture
- Head in the borehole without pumping (L=5 m, dL=0.5 m)  
2006-05-11 - 2006-05-13
- Head in the borehole with pumping (L=1 m, dL=0.1 m)  
2006-05-15 - 2006-05-19
- Head in the borehole with smaller pumping (L=1 m) (during extra flow logging)  
2006-05-23
- Head in the borehole without pumping (L=1 m) (during extra flow logging)  
2006-05-23



Basic test data

5. PFL-DIFFERENCE FLOW LOGGING – Basic test data.

Borehole ID	Logged interval Secup (m)	Logged interval Seclow (m)	Test type (1-6)	Date of test, start YYYYMMDD	Time of test, start hh:mm	Date of flowl., start YYYYMMDD	Time of flowl., start hh:mm	Date of test, stop YYYYMMDD	Time of test, stop hh:mm	L <sub>w</sub> (m)	dL (m)	Q <sub>p1</sub> (m <sup>3</sup> /s)	Q <sub>p2</sub> (m <sup>3</sup> /s)
KLX09	95.77	871.45	5A	20060513	13:47	20060514	13:18	20060523	16:49	5	5	1.11E-3	2.43E-4

t <sub>p1</sub> (s)	t <sub>p2</sub> (s)	t <sub>F1</sub> (s)	t <sub>F2</sub> (s)	h <sub>0</sub> (masl)	h <sub>1</sub> (masl)	h <sub>2</sub> (masl)	s <sub>1</sub> (m)	s <sub>2</sub> (m)	T Entire hole (m <sup>2</sup> /s)	Reference (-)	Comments (-)
669,600	19,800	180,000		13.24	8.35	11.90	-4.89	-1.34	2.25E-4		

## Results of sequential flow logging

## DIFFERENCE FLOW LOGGING – Sequential flow logging.

Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measILT (m <sup>2</sup> /s)	TD-measLP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	95.77	100.77	5	–	13.28	–	8.30	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	100.78	105.78	5	–	13.33	–	8.36	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	105.79	110.79	5	–	13.33	1.36E–06	8.39	2.7E–07	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	110.81	115.81	5	5.75E–06	13.29	8.53E–05	8.39	1.6E–05	13.6	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	115.82	120.82	5	1.20E–06	13.30	2.81E–05	8.36	5.4E–06	13.5	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	120.83	125.83	5	–	13.35	–	8.35	–	–	100	1.6E–09	5.5E–09	1.6E–05	
KLX09	125.85	130.85	5	–	13.36	7.22E–08	8.35	1.4E–08	–	100	1.6E–09	5.5E–09	1.6E–05	
KLX09	130.87	135.87	5	–	13.32	–	8.36	–	–	100	1.7E–09	5.5E–09	1.7E–05	
KLX09	135.88	140.88	5	9.94E–08	13.35	3.83E–06	8.41	7.5E–07	13.5	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	140.90	145.90	5	–	13.36	–	8.43	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	145.92	150.92	5	2.23E–05	13.35	1.36E–04	8.44	2.3E–05	14.3	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	150.93	155.93	5	–	13.33	1.49E–06	8.42	3.0E–07	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	155.92	160.92	5	–	13.37	3.22E–05	8.42	6.4E–06	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	160.92	165.92	5	4.44E–07	13.41	1.14E–05	8.43	2.2E–06	13.6	100	1.7E–09	5.5E–09	1.7E–05	
KLX09	165.92	170.92	5	–	13.37	2.19E–07	8.46	4.4E–08	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	170.92	175.92	5	–	13.34	–	8.49	–	–	100	1.7E–09	5.7E–09	1.7E–05	
KLX09	175.92	180.92	5	–	13.38	1.09E–07	8.49	2.2E–08	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	180.91	185.91	5	–	13.44	4.08E–07	8.48	8.1E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	185.91	190.91	5	–	13.40	–	8.45	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	190.91	195.91	5	2.20E–07	13.37	4.56E–06	8.46	8.7E–07	13.6	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	195.91	200.91	5	–	13.37	–	8.47	–	–	30	1.7E–09	1.7E–09	1.7E–05	

Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measILT (m <sup>2</sup> /s)	TD-measILP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	200.90	205.90	5	–	13.41	–	8.50	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	205.90	210.90	5	–	13.47	2.23E–07	8.52	4.5E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	210.90	215.90	5	–	13.44	–	8.52	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	215.90	220.90	5	–	13.40	–	8.52	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	220.90	225.90	5	–	13.41	2.54E–07	8.51	5.1E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	225.90	230.90	5	–	13.45	1.48E–06	8.49	3.0E–07	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	230.89	235.89	5	–	13.49	–	8.50	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	235.89	240.89	5	–	13.43	–	8.47	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	245.89	250.89	5	–	13.44	–	8.57	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	250.89	255.89	5	3.11E–08	13.48	6.22E–06	8.60	1.3E–06	13.5	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	255.88	260.88	5	–	13.50	6.81E–07	8.58	1.4E–07	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	260.88	265.88	5	–	13.51	4.14E–07	8.57	8.3E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	265.89	270.89	5	–	13.49	1.23E–07	8.56	2.5E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	270.89	275.89	5	–	13.48	–	8.56	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	275.89	280.89	5	–	13.44	1.11E–06	8.49	2.2E–07	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	280.90	285.90	5	–	13.48	6.39E–08	8.50	1.3E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	285.90	290.90	5	–	13.51	1.38E–05	8.49	2.7E–06	–	30	1.6E–09	1.6E–09	1.6E–05	
KLX09	290.91	295.91	5	–	13.49	–	8.51	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	295.91	300.91	5	–	13.47	9.19E–06	8.54	1.8E–06	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	300.92	305.92	5	6.64E–07	13.47	8.81E–05	8.57	1.8E–05	13.5	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	305.92	310.92	5	–	13.48	–	8.62	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	310.92	315.92	5	–	13.51	3.25E–08	8.63	6.6E–09	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	315.92	320.92	5	–	13.54	–	8.62	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	320.93	325.93	5	–	13.56	–	8.62	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	325.93	330.93	5	–	13.58	–	8.63	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	330.93	335.93	5	–	13.55	–	8.64	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	335.93	340.93	5	–	13.54	–	8.65	–	–	100	1.7E–09	5.6E–09	1.7E–05	



Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measILT (m <sup>2</sup> /s)	TD-measILP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	340.94	345.94	5	–	13.56	–	8.65	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	345.94	350.94	5	–	13.59	–	8.64	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	350.94	355.94	5	–	13.62	–	8.64	–	–	100	1.7E–09	5.5E–09	1.7E–05	
KLX09	355.94	360.94	5	–	13.65	–	8.67	–	–	100	1.7E–09	5.5E–09	1.7E–05	
KLX09	360.94	365.94	5	–	13.64	–	8.70	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	365.95	370.95	5	–	13.62	–	8.68	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	370.95	375.95	5	–	13.60	–	8.68	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	375.95	380.95	5	–	13.61	–	8.70	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	380.95	385.95	5	–	13.59	–	8.70	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	385.95	390.95	5	–	13.64	–	8.72	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	390.95	395.95	5	–	13.63	–	8.72	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	395.95	400.95	5	–	13.63	–	8.71	–	–	100	1.7E–09	5.6E–09	1.7E–05	
KLX09	400.95	405.95	5	–	13.65	–	8.71	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	405.95	410.95	5	–	13.64	–	8.71	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	410.95	415.95	5	–	13.62	–	8.71	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	415.95	420.95	5	–	13.61	–	8.73	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	420.96	425.96	5	–	13.61	–	8.76	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	425.96	430.96	5	–	13.60	–	8.78	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	430.96	435.96	5	–	13.62	–	8.80	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	435.96	440.96	5	–	13.62	–	8.82	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	440.96	445.96	5	–	13.63	–	8.84	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	445.96	450.96	5	–	13.63	–	8.84	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	450.97	455.97	5	–	13.66	–	8.85	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	455.97	460.97	5	–	13.67	–	8.85	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	460.97	465.97	5	–	13.68	–	8.85	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	465.97	470.97	5	–	13.70	–	8.89	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	470.98	475.98	5	–	13.70	–	8.89	–	–	30	1.7E–09	1.7E–09	1.7E–05	

Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measLT (m <sup>2</sup> /s)	TD-measILP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	475.98	480.98	5	-	13.73	-	8.89	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	480.98	485.98	5	-	13.74	-	8.89	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	485.98	490.98	5	-	13.82	-	8.86	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	490.98	495.98	5	-9.44E-06	13.83	1.12E-04	8.88	2.4E-05	13.5	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	495.99	500.99	5	-	13.84	-	8.95	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	500.99	505.99	5	-	13.84	-	8.95	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	506.00	511.00	5	-	13.86	-	8.95	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	511.00	516.00	5	-	13.86	-	8.96	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	516.00	521.00	5	-	13.90	-	9.00	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	521.01	526.01	5	-1.02E-07	13.92	5.56E-08	9.02	3.2E-08	10.8	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	526.01	531.01	5	-	13.92	-	9.03	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	531.01	536.01	5	-2.89E-06	13.95	2.49E-06	9.05	1.1E-06	11.3	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	536.01	541.01	5	-9.72E-06	13.98	1.09E-05	9.05	4.1E-06	11.7	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	541.01	546.01	5	-1.80E-06	13.98	2.44E-06	9.06	8.5E-07	11.9	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	546.02	551.02	5	-	14.02	-	9.10	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	551.03	556.03	5	-	14.03	-	9.11	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	556.03	561.03	5	-	14.04	-	9.12	-	-	70	1.7E-09	3.9E-09	1.7E-05	
KLX09	561.04	566.04	5	-	14.03	-	9.14	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	566.04	571.04	5	-	14.03	-	9.14	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	571.05	576.05	5	-	14.03	-	9.16	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	576.06	581.06	5	-	14.07	-	9.17	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	581.06	586.06	5	-	14.09	-	9.20	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	586.07	591.07	5	-	14.09	-	9.20	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	591.08	596.08	5	-	14.09	-	9.21	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	596.08	601.08	5	-	14.14	-	9.26	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	601.09	606.09	5	-	14.16	-	9.27	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	606.09	611.09	5	-	14.16	-	9.27	-	-	30	1.7E-09	1.7E-09	1.7E-05	

Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measILT (m <sup>2</sup> /s)	TD-measILP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	611.10	616.10	5	–	14.18	–	9.28	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	616.10	621.10	5	–	14.19	–	9.32	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	621.11	626.11	5	–	14.20	–	9.34	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	626.11	631.11	5	–	14.24	–	9.33	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	631.12	636.12	5	–	14.26	–	9.36	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	636.12	641.12	5	–	14.31	–	9.38	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	641.13	646.13	5	–	14.29	–	9.39	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	646.14	651.14	5	–	14.34	–	9.43	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	651.14	656.14	5	–	14.35	–	9.44	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	656.15	661.15	5	–	14.36	–	9.45	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	661.15	666.15	5	–	14.36	–	9.47	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	666.16	671.16	5	–	14.38	–	9.47	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	671.16	676.16	5	–	14.40	–	9.50	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	676.17	681.17	5	–	14.44	–	9.50	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	681.17	686.17	5	–	14.45	–	9.53	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	686.18	691.18	5	–	14.48	–	9.55	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	691.18	696.18	5	–	14.49	–	9.58	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	696.19	701.19	5	–	14.52	–	9.58	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	701.19	706.19	5	–	14.54	–	9.60	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	706.20	711.20	5	–	14.53	–	9.60	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	711.20	716.20	5	–6.56E–07	14.44	–	9.62	1.3E–07	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	716.20	721.20	5	–3.47E–07	14.57	–	9.64	7.0E–08	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	721.20	726.20	5	–	14.57	–	9.66	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	726.21	731.21	5	–	14.62	–	9.70	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	731.21	736.21	5	–	14.63	–	9.71	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	736.21	741.21	5	–	14.64	–	9.74	–	–	30	1.7E–09	1.7E–09	1.7E–05	
KLX09	741.21	746.21	5	–	14.64	–	9.74	–	–	100	1.7E–09	5.6E–09	1.7E–05	

Borehole ID	Secup L(m)	Seclow L(m)	Lw (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Q-lower limit P (mL/h)	TD-measILT (m <sup>2</sup> /s)	TD-measILP (m <sup>2</sup> /s)	TD-measIU (m <sup>2</sup> /s)	Comments
KLX09	746.21	751.21	5	-6.11E-07	14.67	-8.33E-08	9.77	1.1E-07	9.0	100	1.7E-09	5.6E-09	1.7E-05	
KLX09	751.21	756.21	5	-4.78E-05	14.68	-1.53E-05	9.74	6.5E-06	7.4	100	1.7E-09	5.6E-09	1.7E-05	
KLX09	756.21	761.21	5	-	14.71	-	9.77	-	-	100	1.7E-09	5.6E-09	1.7E-05	
KLX09	761.22	766.22	5	-	14.74	-	9.83	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	766.24	771.24	5	-	14.78	-	9.83	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	771.25	776.25	5	-	14.80	-	9.85	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	776.26	781.26	5	-	14.80	-	9.88	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	781.28	786.28	5	-	14.83	-	9.91	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	786.29	791.29	5	-	14.85	-	9.92	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	791.30	796.30	5	-	14.88	-	9.93	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	796.32	801.32	5	-	14.92	-	9.96	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	801.33	806.33	5	-	14.93	-	9.97	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	806.34	811.34	5	-	14.99	-	10.02	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	811.35	816.35	5	-	15.01	-	10.04	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	816.35	821.35	5	-	15.04	-	10.09	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	821.36	826.36	5	-	15.05	-	10.10	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	826.37	831.37	5	-	15.07	-	10.10	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	831.38	836.38	5	-	15.08	-	10.12	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	836.39	841.39	5	-	15.11	-	10.18	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	841.40	846.40	5	-	15.11	-	10.20	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	846.41	851.41	5	-	15.16	-	10.22	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	851.42	856.42	5	-	15.15	-	10.26	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	856.43	861.43	5	-	15.18	-	10.31	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	861.44	866.44	5	-	15.14	-	10.29	-	-	30	1.7E-09	1.7E-09	1.7E-05	
KLX09	866.45	871.45	5	-	15.18	-	10.34	-	-	30	1.7E-09	1.7E-09	1.7E-05	

## Appendix 8

### Inferred flow anomalies from overlapping flow logging

**PFL – DIFFERENCE FLOW LOGGING – Inferred flow anomalies from overlapping flow logging.**

Borehole ID	Length to flow anom. L (m)	Lw (m)	dL (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Comments
KLX09	106.5	1	0.1	–	13.12	1.22E–06	8.37	2.5E–07	13.3	
KLX09	107.2	1	0.1	–	13.12	4.47E–07	8.36	9.3E–08	–	*
KLX09	112.6	1	0.1	1.08E–06	12.39	1.23E–05	11.71	1.60E–05	12.5	**
KLX09	113.6	1	0.1	–	13.04	8.56E–06	8.37	1.8E–06	–	
KLX09	115.2	1	0.1	–	13.04	2.04E–05	8.40	4.4E–06	–	
KLX09	116.8	1	0.1	–	13.05	4.22E–06	8.41	9.0E–07	–	
KLX09	117.9	1	0.1	–	13.04	1.44E–06	8.42	3.1E–07	–	
KLX09	120.1	1	0.1	1.01E–06	13.05	1.90E–05	8.44	3.9E–06	13.3	
KLX09	120.8	1	0.1	–	13.05	2.42E–07	8.44	5.2E–08	–	*
KLX09	126.7	1	0.1	–	13.07	1.13E–07	8.41	2.4E–08	–	*
KLX09	138.4	1	0.1	9.94E–08	13.01	3.22E–06	8.44	6.8E–07	13.2	*
KLX09	146.2	1	0.1	–	12.99	9.00E–07	8.46	2.0E–07	–	
KLX09	147.9	1	0.1	5.14E–06	12.33	1.87E–06	11.63	1.90E–05	12.6	**
KLX09	148.9	1	0.1	1.78E–05	12.31	4.42E–05	11.67	4.10E–05	12.7	**
KLX09	154.3	1	0.1	–	12.97	1.36E–06	8.42	3.0E–07	–	
KLX09	156.7	1	0.1	–	13.00	2.51E–05	8.42	5.4E–06	–	
KLX09	157.5	1	0.1	–	13.00	1.94E–06	8.44	4.2E–07	–	
KLX09	160.6	1	0.1	–	13.03	3.69E–07	8.45	8.0E–08	–	
KLX09	161.8	1	0.1	4.47E–07	13.05	1.15E–05	8.47	2.4E–06	13.2	
KLX09	168.2	1	0.1	–	13.02	1.35E–07	8.51	3.0E–08	–	
KLX09	180.0	1	0.1	–	13.05	1.60E–07	8.45	3.5E–08	–	
KLX09	181.4	1	0.1	–	13.07	3.44E–07	8.45	7.4E–08	–	
KLX09	192.9	1	0.1	2.28E–07	13.04	4.28E–06	8.53	8.9E–07	13.3	
KLX09	206.9	1	0.1	–	13.14	1.17E–07	8.48	2.5E–08	–	
KLX09	208.3	1	0.1	–	13.13	3.03E–08	8.48	6.4E–09	–	
KLX09	221.3	1	0.1	–	13.07	1.66E–07	8.56	3.6E–08	–	
KLX09	228.7	1	0.1	–	13.12	1.17E–06	8.52	2.5E–07	–	
KLX09	242.4	1	0.1	–	13.06	2.28E–08	8.60	5.1E–09	–	*
KLX09	251.9	1	0.1	2.75E–08	13.13	5.42E–06	8.60	1.2E–06	13.2	
KLX09	256.1	1	0.1	–	13.15	2.83E–08	8.55	6.1E–09	–	*
KLX09	258.5	1	0.1	–	13.16	1.69E–08	8.54	3.6E–09	–	*
KLX09	260.1	1	0.1	–	13.17	5.75E–07	8.54	1.2E–07	–	
KLX09	263.2	1	0.1	–	13.18	2.47E–07	8.57	5.3E–08	–	
KLX09	263.6	1	0.1	–	13.17	1.53E–07	8.59	3.3E–08	–	*
KLX09	270.6	1	0.1	–	13.13	8.97E–08	8.62	2.0E–08	–	
KLX09	276.9	1	0.1	–	13.09	1.03E–07	8.57	2.3E–08	–	
KLX09	277.4	1	0.1	–	13.10	1.99E–07	8.57	4.3E–08	–	
KLX09	278.8	1	0.1	–	13.09	5.94E–07	8.57	1.3E–07	–	

Borehole ID	Length to flow anom. L (m)	Lw (m)	dL (m)	Q0 (m <sup>3</sup> /s)	h <sub>0FW</sub> (masl)	Q1 (m <sup>3</sup> /s)	h <sub>1FW</sub> (masl)	TD (m <sup>2</sup> /s)	hi (masl)	Comments
KLX09	280.5	1	0.1	–	13.10	5.17E–08	8.54	1.1E–08	–	*
KLX09	282.0	1	0.1	–	13.13	3.28E–08	8.56	7.1E–09	–	*
KLX09	283.2	1	0.1	–	13.12	2.50E–08	8.54	5.4E–09	–	*
KLX09	286.0	1	0.1	–	13.14	3.89E–09	8.53	8.3E–10	–	*
KLX09	287.9	1	0.1	–	13.15	1.82E–07	8.54	3.9E–08	–	
KLX09	289.2	1	0.1	–	13.15	3.83E–06	8.58	8.3E–07	–	
KLX09	290.5	1	0.1	–	13.17	7.36E–06	8.57	1.6E–06	–	
KLX09	292.1	1	0.1	–	13.17	2.81E–07	8.59	6.1E–08	–	*
KLX09	296.1	1	0.1	–	13.15	1.67E–08	8.61	3.6E–09	–	*
KLX09	297.4	1	0.1	–	13.13	7.53E–06	8.62	1.7E–06	–	
KLX09	298.7	1	0.1	–	13.12	2.94E–07	8.62	6.5E–08	–	
KLX09	303.5	1	0.1	–7.58E–06	12.41	1.76E–05	11.71	3.60E–05	12.2	**
KLX09	314.8	1	0.1	–	13.15	2.31E–08	8.61	5.0E–09	–	
KLX09	494.8	1	0.1	–1.13E–05	12.73	2.31E–05	12.04	4.90E–05	12.5	**
KLX09	525.2	1	0.1	–1.11E–07	13.47	3.75E–08	9.10	3.4E–08	10.2	
KLX09	531.9	1	0.1	–	13.49	2.68E–07	9.12	6.1E–08	–	*
KLX09	532.6	1	0.1	–	13.49	1.50E–07	9.13	3.4E–08	–	*
KLX09	533.7	1	0.1	–	13.51	2.32E–07	9.12	5.2E–08	–	
KLX09	535.2	1	0.1	–	13.52	4.78E–07	9.14	1.1E–07	–	*
KLX09	536.0	1	0.1	–	13.54	6.92E–07	9.15	1.6E–07	–	
KLX09	537.3	1	0.1	–	13.54	1.36E–06	9.15	3.1E–07	–	
KLX09	538.7	1	0.1	–7.00E–06	13.54	5.86E–06	9.15	2.9E–06	11.2	
KLX09	540.1	1	0.1	–	13.55	1.02E–06	9.16	2.3E–07	–	
KLX09	540.8	1	0.1	–	13.56	1.30E–07	9.16	2.9E–08	–	*
KLX09	542.6	1	0.1	–1.85E–06	13.57	1.55E–06	9.16	7.6E–07	11.2	
KLX09	543.3	1	0.1	–	13.55	1.90E–07	9.16	4.3E–08	–	*
KLX09	711.4	1	0.1	–2.76E–07	13.90	–2.64E–08	9.76	6.0E–08	9.3	*
KLX09	720.2	1	0.1	–3.50E–07	13.90	–3.00E–08	9.78	7.7E–08	9.4	*
KLX09	748.7	1	0.1	–5.92E–07	14.03	–1.42E–07	9.83	1.1E–07	8.5	
KLX09	755.9	1	0.1	–4.78E–05	14.05	–1.53E–05	9.89	7.7E–06	7.9	

\* Uncertain = The flow rate is less than 30 mL/h or the flow anomalies are overlapping or they are unclear because of noise.

\*\* Values from the measurement with smaller pumping (original pumped flow over measurement limit). Measurement is done at the end of recovery and is therefore paired with a new measurement without pumping.

## Explanations for the tables in Appendices 6–8

### Explanations.

Header	Unit	Explanations
Borehole		ID for borehole
Secup	m	Length along the borehole for the upper limit of the test section (based on corrected length L)
Seclow	m	Length along the borehole for the lower limit of the test section (based on corrected length L)
L	m	Corrected length along borehole based on SKB procedures for length correction.
Length to flow anom.	m	Length along the borehole to inferred flow anomaly during overlapping flow logging
Test type (1–6)	(–)	1A: Pumping test – wire-line eq., 1B: Pumping test-submersible pump, 1C: Pumping test-airlift pumping, 2: Interference test, 3: Injection test, 4: Slug test, 5A: Difference flow logging -PFL-DIFF-Sequential, 5B: Difference flow logging -PFL-DIFF-Overlapping, 6: Flow logging-Impeller
Date of test, start	YY-MM-DD	Date for start of pumping
Time of test, start	hh:mm	Time for start of pumping
Date of flowl., start	YY-MM-DD	Date for start of the flow logging
Time of flowl., start	hh:mm	Time for start of the flow logging
Date of test, stop	YY-MM-DD	Date for stop of the test
Time of test, stop	hh:mm	Time for stop of the test
$L_w$	m	Section length used in the difference flow logging
dL	m	Step length (increment) used in the difference flow logging
$Q_{p1}$	m <sup>3</sup> /s	Flow rate at surface by the end of the first pumping period of the flow logging
$Q_{p2}$	m <sup>3</sup> /s	Flow rate at surface by the end of the second pumping period of the flow logging
$t_{p1}$	s	Duration of the first pumping period
$t_{p2}$	s	Duration of the second pumping period
$t_{F1}$	s	Duration of the first recovery period
$t_{F2}$	s	Duration of the second recovery period
$h_0$	m a.s.l.	Initial hydraulic head before pumping. Elevation of water level in open borehole in the local co-ordinates system with z=0 m.

Header	Unit	Explanations
$h_1$	m a s l.	Stabilised hydraulic head during the first pumping period. Elevation of water level in open borehole in the local co-ordinates system with $z=0$ m.
$h_2$	m.a.s l.	Stabilised hydraulic head during the second pumping period. Elevation of water level in open borehole in the local co-ordinates system with $z=0$ m.
$s_1$	m	Drawdown of the water level in the borehole during first pumping period. Difference between the actual hydraulic head and the initial head ( $s_1=h_1-h_0$ )
$s_2$	m	Drawdown of the water level in the borehole during second pumping period. Difference between the actual hydraulic head and the initial head ( $s_2=h_2-h_0$ )
T	$m^2/s$	Transmissivity of the entire borehole
$Q_0$	$m^3/s$	Measured flow rate through the test section or flow anomaly under natural conditions (no pumping) with $h=h_0$ in the open borehole
$Q_1$	$m^3/s$	Measured flow rate through the test section or flow anomaly during the first pumping period
$Q_2$	$m^3/s$	Measured flow rate through the test section or flow anomaly during the second pumping period
$h_{0FW}$	masl	Corrected initial hydraulic head difference along the hole due to e.g. varying salinity conditions of the borehole fluid before pumping
$h_{1FW}$	masl	Corrected hydraulic head difference along the hole due to e.g. varying salinity conditions of the borehole fluid during the first pumping period
$h_{2FW}$	masl	Corrected hydraulic head difference along the hole due to e.g. varying salinity conditions of the borehole fluid during the second pumping period
$EC_w$	S/m	Measured electric conductivity of the borehole fluid in the test section during difference flow logging
$Te_w$	$^{\circ}C$	Measured borehole fluid temperature in the test section during difference flow logging
$EC_f$	S/m	Measured fracture-specific electric conductivity of the fluid in flow anomaly during difference flow logging
$Te_f$	$^{\circ}C$	Measured fracture-specific fluid temperature in flow anomaly during difference flow logging
$T_D$	$m^2/s$	Transmissivity of section or flow anomaly based on 2D model for evaluation of formation properties of the test section based on PFL-DIFF.
T-meas <sub>LT</sub>	$m^2/s$	Estimated theoretical lower measurement limit for evaluated $T_D$ . If the estimated $T_D$ equals $T_D$ -measlim, the actual $T_D$ is considered to be equal or less than $T_D$ -measlim.
T-meas <sub>LP</sub>	$m^2/s$	Estimated practical lower measurement limit for evaluated $T_D$ . If the estimated $T_D$ equals $T_D$ -measlim, the actual $T_D$ is considered to be equal or less than $T_D$ -measlim.
T-meas <sub>U</sub>	$m^2/s$	Estimated upper measurement limit for evaluated $T_D$ . If the estimated $T_D$ equals $T_D$ -measlim, the actual $T_D$ is considered to be equal or less than $T_D$ -measlim.
$h_i$	m	Calculated relative, natural freshwater head for test section or flow anomaly (undisturbed conditions)



## Conductive fracture frequency

Calculation of conductive fracture frequency.

Borehole ID	SecUp (m)	SecLow (m)	Number Of Fractures, Total	Number Of Fractures 10–100 (ml/h)	Number Of Fractures 100–1,000 (ml/h)	Number Of Fractures 1,000–10,000 (ml/h)	Number Of Fractures 10,000–100,000 (ml/h)	Number Of Fractures 100,000–1,000,000 (ml/h)
KLX09	95.77	100.77	0	0	0	0	0	0
KLX09	100.78	105.78	0	0	0	0	0	0
KLX09	105.79	110.79	2	0	0	2	0	0
KLX09	110.81	115.81	3	0	0	0	3	3
KLX09	115.82	120.82	4	0	1	1	2	2
KLX09	120.83	125.83	0	0	0	0	0	0
KLX09	125.85	130.85	1	0	1	0	0	0
KLX09	130.87	135.87	0	0	0	0	0	0
KLX09	135.88	140.88	1	0	0	0	1	1
KLX09	140.90	145.90	0	0	0	0	0	0
KLX09	145.92	150.92	3	0	0	1	1	1
KLX09	150.93	155.93	1	0	0	1	0	0
KLX09	155.92	160.92	3	0	0	2	1	1
KLX09	160.92	165.92	1	0	0	0	1	1
KLX09	165.92	170.92	1	0	1	0	0	0
KLX09	170.92	175.92	0	0	0	0	0	0
KLX09	175.92	180.92	1	0	1	0	0	0
KLX09	180.91	185.91	1	0	0	1	0	0
KLX09	185.91	190.91	0	0	0	0	0	0
KLX09	190.91	195.91	1	0	0	0	1	1
KLX09	195.91	200.91	0	0	0	0	0	0
KLX09	200.90	205.90	0	0	0	0	0	0
KLX09	205.90	210.90	2	0	2	0	0	0
KLX09	210.90	215.90	0	0	0	0	0	0
KLX09	215.90	220.90	0	0	0	0	0	0
KLX09	220.90	225.90	1	0	1	0	0	0
KLX09	225.90	230.90	1	0	0	1	0	0
KLX09	230.89	235.89	0	0	0	0	0	0
KLX09	235.89	240.89	0	0	0	0	0	0
KLX09	240.89	245.89	1	1	0	0	0	0
KLX09	245.89	250.89	0	0	0	0	0	0
KLX09	250.89	255.89	1	0	0	0	1	1
KLX09	255.88	260.88	3	1	1	1	0	0
KLX09	260.88	265.88	2	0	1	1	0	0
KLX09	265.89	270.89	1	0	1	0	0	0
KLX09	270.89	275.89	0	0	0	0	0	0
KLX09	275.89	280.89	4	0	3	1	0	0
KLX09	280.90	285.90	2	1	1	0	0	0
KLX09	285.90	290.90	4	1	1	0	2	2
KLX09	290.91	295.91	1	0	0	1	0	0


Borehole ID	SecUp (m)	SecLow (m)	Number Of Fractures, Total	Number Of Fractures 10–100 (ml/h)	Number Of Fractures 100–1,000 (ml/h)	Number Of Fractures 1,000–10,000 (ml/h)	Number Of Fractures 10,000–100,000 (ml/h)	Number Of Fractures 100,000–1,000,000 (ml/h)
KLX09	295.91	300.91	3	1	0	1	1	1
KLX09	300.92	305.92	1	0	0	0	1	1
KLX09	305.92	310.92	0	0	0	0	0	0
KLX09	315.92	320.92	0	0	0	0	0	0
KLX09	320.93	325.93	0	0	0	0	0	0
KLX09	325.93	330.93	0	0	0	0	0	0
KLX09	330.93	335.93	0	0	0	0	0	0
KLX09	335.93	340.93	0	0	0	0	0	0
KLX09	340.94	345.94	0	0	0	0	0	0
KLX09	345.94	350.94	0	0	0	0	0	0
KLX09	350.94	355.94	0	0	0	0	0	0
KLX09	355.94	360.94	0	0	0	0	0	0
KLX09	360.94	365.94	0	0	0	0	0	0
KLX09	365.95	370.95	0	0	0	0	0	0
KLX09	370.95	375.95	0	0	0	0	0	0
KLX09	375.95	380.95	0	0	0	0	0	0
KLX09	380.95	385.95	0	0	0	0	0	0
KLX09	385.95	390.95	0	0	0	0	0	0
KLX09	390.95	395.95	0	0	0	0	0	0
KLX09	395.95	400.95	0	0	0	0	0	0
KLX09	400.95	405.95	0	0	0	0	0	0
KLX09	405.95	410.95	0	0	0	0	0	0
KLX09	410.95	415.95	0	0	0	0	0	0
KLX09	415.95	420.95	0	0	0	0	0	0
KLX09	420.96	425.96	0	0	0	0	0	0
KLX09	425.96	430.96	0	0	0	0	0	0
KLX09	430.96	435.96	0	0	0	0	0	0
KLX09	435.96	440.96	0	0	0	0	0	0
KLX09	440.96	445.96	0	0	0	0	0	0
KLX09	445.96	450.96	0	0	0	0	0	0
KLX09	450.97	455.97	0	0	0	0	0	0
KLX09	455.97	460.97	0	0	0	0	0	0
KLX09	460.97	465.97	0	0	0	0	0	0
KLX09	465.97	470.97	0	0	0	0	0	0
KLX09	470.98	475.98	0	0	0	0	0	0
KLX09	475.98	480.98	0	0	0	0	0	0
KLX09	480.98	485.98	0	0	0	0	0	0
KLX09	485.98	490.98	0	0	0	0	0	0
KLX09	490.98	495.98	1	0	0	0	1	1
KLX09	495.99	500.99	0	0	0	0	0	0
KLX09	500.99	505.99	0	0	0	0	0	0
KLX09	506.00	511.00	0	0	0	0	0	0
KLX09	511.00	516.00	0	0	0	0	0	0
KLX09	516.00	521.00	0	0	0	0	0	0
KLX09	521.01	526.01	1	0	1	0	0	0
KLX09	526.01	531.01	0	0	0	0	0	0

Borehole ID	SecUp (m)	SecLow (m)	Number Of Fractures, Total	Number Of Fractures 10–100 (ml/h)	Number Of Fractures 100–1,000 (ml/h)	Number Of Fractures 1,000–10,000 (ml/h)	Number Of Fractures 10,000–100,000 (ml/h)	Number Of Fractures 100,000–1,000,000 (ml/h)
KLX09	531.01	536.01	5	0	3	2	0	0
KLX09	536.01	541.01	4	0	1	2	1	1
KLX09	541.01	546.01	2	0	1	1	0	0
KLX09	546.02	551.02	0	0	0	0	0	0
KLX09	551.03	556.03	0	0	0	0	0	0
KLX09	556.03	561.03	0	0	0	0	0	0
KLX09	561.04	566.04	0	0	0	0	0	0
KLX09	566.04	571.04	0	0	0	0	0	0
KLX09	571.05	576.05	0	0	0	0	0	0
KLX09	576.06	581.06	0	0	0	0	0	0
KLX09	581.06	586.06	0	0	0	0	0	0
KLX09	586.07	591.07	0	0	0	0	0	0
KLX09	591.08	596.08	0	0	0	0	0	0
KLX09	596.08	601.08	0	0	0	0	0	0
KLX09	601.09	606.09	0	0	0	0	0	0
KLX09	606.09	611.09	0	0	0	0	0	0
KLX09	611.10	616.10	0	0	0	0	0	0
KLX09	616.10	621.10	0	0	0	0	0	0
KLX09	621.11	626.11	0	0	0	0	0	0
KLX09	626.11	631.11	0	0	0	0	0	0
KLX09	631.12	636.12	0	0	0	0	0	0
KLX09	636.12	641.12	0	0	0	0	0	0
KLX09	641.13	646.13	0	0	0	0	0	0
KLX09	646.14	651.14	0	0	0	0	0	0
KLX09	651.14	656.14	0	0	0	0	0	0
KLX09	656.15	661.15	0	0	0	0	0	0
KLX09	661.15	666.15	0	0	0	0	0	0
KLX09	666.16	671.16	0	0	0	0	0	0
KLX09	671.16	676.16	0	0	0	0	0	0
KLX09	676.17	681.17	0	0	0	0	0	0
KLX09	681.17	686.17	0	0	0	0	0	0
KLX09	686.18	691.18	0	0	0	0	0	0
KLX09	691.18	696.18	0	0	0	0	0	0
KLX09	696.19	701.19	0	0	0	0	0	0
KLX09	701.19	706.19	0	0	0	0	0	0
KLX09	706.20	711.20	0	0	0	0	0	0
KLX09	711.20	716.20	3	0	0	0	0	0
KLX09	716.20	721.20	1	0	0	0	0	0
KLX09	721.20	726.20	0	0	0	0	0	0
KLX09	726.21	731.21	0	0	0	0	0	0
KLX09	731.21	736.21	0	0	0	0	0	0
KLX09	736.21	741.21	0	0	0	0	0	0
KLX09	741.21	746.21	0	0	0	0	0	0
KLX09	746.21	751.21	1	0	0	0	0	0
KLX09	751.21	756.21	1	0	0	0	0	0
KLX09	756.21	761.21	0	0	0	0	0	0

Borehole ID	SecUp (m)	SecLow (m)	Number Of Fractures, Total	Number Of Fractures 10–100 (ml/h)	Number Of Fractures 100–1,000 (ml/h)	Number Of Fractures 1,000–10,000 (ml/h)	Number Of Fractures 10,000–100,000 (ml/h)	Number Of Fractures 100,000–1,000,000 (ml/h)
KLX09	761.22	766.22	0	0	0	0	0	0
KLX09	766.24	771.24	0	0	0	0	0	0
KLX09	771.25	776.25	0	0	0	0	0	0
KLX09	776.26	781.26	0	0	0	0	0	0
KLX09	781.28	786.28	0	0	0	0	0	0
KLX09	786.29	791.29	0	0	0	0	0	0
KLX09	791.30	796.30	0	0	0	0	0	0
KLX09	796.32	801.32	0	0	0	0	0	0
KLX09	801.33	806.33	0	0	0	0	0	0
KLX09	806.34	811.34	0	0	0	0	0	0
KLX09	811.35	816.35	0	0	0	0	0	0
KLX09	816.35	821.35	0	0	0	0	0	0
KLX09	821.36	826.36	0	0	0	0	0	0
KLX09	826.37	831.37	0	0	0	0	0	0
KLX09	831.38	836.38	0	0	0	0	0	0
KLX09	836.39	841.39	0	0	0	0	0	0
KLX09	841.40	846.40	0	0	0	0	0	0
KLX09	846.41	851.41	0	0	0	0	0	0
KLX09	851.42	856.42	0	0	0	0	0	0
KLX09	856.43	861.43	0	0	0	0	0	0
KLX09	861.44	866.44	0	0	0	0	0	0
KLX09	866.45	871.45	0	0	0	0	0	0

Plotted conductive fracture frequency

Laxemar, borehole KLX09  
Calculation of conductive fracture frequency




### Comparison between section transmissivity and fracture transmissivity

Laxemar, borehole KLX09

Comparison between section transmissivity and fracture transmissivity

- ◇ Transmissivity (sum of fracture specific results  $T_f$ )
- + Transmissivity (results of 5m measurements  $T_s$ )




**A13.1 Head in the borehole during flow logging**

Laxemar, borehole KLX09

Head in the borehole during flow logging

Head(masl)= (Absolute pressure (Pa) - Airpressure (Pa) + Offset) / (1000 kg/m<sup>3</sup> \* 9.80665 m/s<sup>2</sup>) + Elevation (m)  
 Offset = 2460 Pa (Correction for absolut pressure sensor)


- Without pumping (upwards during flow logging, L=5 m, dL=0.5 m), 2006-05-11 - 2006-05-13
- With pumping (upwards during flow logging, L=5 m, dL=0.5 m), 2006-05-14 - 2006-05-15
- With pumping (upwards during flow logging, L=1 m, dL=0.1 m), 2006-05-15 - 2006-06-19
- With pumping (during fracture-EC), 2006-05-20
- Without pumping (L=1m) (during extra flow logging), 2006-05-23
- With smaller pumping (L=1m) (during extra flow logging), 2006-05-23



## A13.2 Air pressure, water level in the borehole and pumping rate during flow logging

Laxemar, borehole KLX09

Air pressure, water level in the borehole and pumping rate during flow logging






### A13.3 Groundwater recovery after pumping

Laxemar, borehole KLX09

Groundwater recovery after pumping


Head(masl)= (Absolute pressure (Pa) - Airpressure (Pa) + Offset) / (1000 kg/m<sup>3</sup> \* 9.80665 m/s<sup>2</sup>) + Elevation (m)  
Offset = 2460 Pa (Correction for absolut pressure sensor)

- Measured at the length of 15.54 m using water level pressure sensor
- Corrected pressure measured at the length of 20.13 m using absolute pressure sensor



### A13.4 Vertical flow along the borehole at 105.55 m


Laxemar, borehole KLX09  
Vertical flow along the borehole at the length of 101.55 m



### A13.5 Vertical flow along the borehole at 102.85 m


Laxemar, borehole KLX09

Vertical flow along the borehole at the length of 102.85 m



### Fracture-specific EC results

Laxemar, borehole KLX09  
Fracture-specific EC results by date




Flow without pumping and with smaller pumping


Appendix 15.1

Laxemar, borehole KLX09


Flow without pumping and with smaller pumping at the length 112.12m




Laxemar, borehole KLX09  
 Flow without pumping and with smaller pumping at the length 147.12m



Laxemar, borehole KLX09  
 Flow without pumping and with smaller pumping at the length 148.62m




Laxemar, borehole KLX09  
 Flow without pumping and with smaller pumping at the length 302.98m






Laxemar, borehole KLX09  
 Flow without pumping and with smaller pumping at the length 494.32m




Long time flow observations

Appendix 16.1

Laxemar, borehole KLX09  
 Flow without pumping at the length 301.22m and 300.22m



Laxemar, borehole KLX09  
Flow without pumping at the length 491.27m



Laxemar, borehole KLX09  
Flow without pumping at the length 752.51m

